

PRICE GUIDE 2024



Lava Vented Front View featuring GlowFire™ Log Technology

This one-of-a-kind masterpiece gives the look and the feel of the log on fire; because it is! Each Glowfire™ log is individually orificed and ported allowing the fuel to flow out of the log presenting the most realistic gas log set on the market.





TABLE OF CONTENTS

Select your Size, Log, Burner, Controls, and Accessories
Minimum Fireplace Dimensions
Lava Burner w/ GlowFire™ Log Technology 4
Bedrock Series 5
Indoor/Outdoor Vented Log Sets and Burners6
Vented Assembled Burner Systems
See Through Logs, Burners, and Assembled Burners 8/9
Jumbo/Jumbo Slimline Log Sets and Burners
Vented Contemporary, Cannonballs1
Controls, Twigs, and Accessories, Glass 12/13
Controls and Accessories; Indoor and Outdoor 14
Ventless Log Sets and Burners15
Outdoor Fire Pit Kits 16
Outdoor Fire Pit Kits and Fire Pit Logs 17
Outdoor Fire Products and Accessories 18
Fire Tables 19
Fire Bowls 20
Kiva Sets and Point of Purchase Displays2
Replacement Parts




















SELECT YOUR...


Size, Log, Burner, Controls, and Accessories.



Front Opening Width

Measure front width, rear width, height and depth of empty fire box.

Refer to sizing chart on the next pages.



MINIMUM FIREPLACE DIMENSIONS

Lava Du				MINIMUM FIRE	PLACE SIZ	ES	
Lava Burner	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
						HIGH LOW	HIGH LOW
14 19 1 1	18"	28"	16"	18"	22"	40k 25k	40k 18k
× ×	24"	34"	16"	24"	22"	55k 35k	55k 30k 75k 40k
	30" 36"	40" 46"	18" 18"	30" 36"	26" 26"	75k 45k 85k 55k	75k 40k 85k 48k
	30	40	10				OJK 40K
2-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKR-NG/LP, EIS-N/L)		I	ı	MINIMUM FIRE		1	Ι
WIVQWIKIN/EF, WIWVKK-NG/EF, E13-N/E/	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	18"	30"	14"	18"	14"	52k	49k
1 1	21" 24"	33" 36"	14" 14"	21" 24"	14" 14"	58k 64k	58k 64k
The state of the s	30"	42"	16"	30"	14"	76k	79k
A -E	36"	48"	16"	36"	14"	81k	83k
990	42"	54"	16"	42"	14"	86k	87k
B AND PROPERTY.	48"	60"	16"	48"	16"	150k	145k
B 200	60"	72"	16"	60"	16"	175k	165k
2-Burner with controls (MVKEIKN/LP)				MINIMUM FIRE	PLACE SIZ	ES	
2-bullet with controls (MVKLIKIV/LF)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
,)	18"	36"	14"	24"	14"	52k	49k
A N	21"	39" 42"	14"	27"	14"	58k	58k
	24" 30"	42" 48"	14" 16"	30" 36"	14" 14"	64k 76k	64k 79k
V. Comments	36"	48 54"	16"	36 42"	14 14"	76k 81k	79k 83k
1	42"	60"	16"	48"	14"	86k	87k
O.D. W. J. J. MARLEY OPONION				MINIMUM FIRE			
3-Burner with controls (Match Lite, SPQMKN/LP, MVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
4	18"	30"	14"	18"	16"	46k	41k
	21"	33"	14"	21"	16"	58k	58k
	24"	36"	14"	24"	16"	74k	64k
	30"	42"	16"	30"	16"	102k	91k
	36"	48"	16"	36"	16"	111k	106k
	42"	54"	16"	42"	16"	120k	121k
bo Slimline-Burner with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)		ı	1	MINIMUM FIRE	1		Т
HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
a .	24"	36"	21"	24"	30"	103k	95k
	30" 36"	42" 48"	21" 21"	30" 36"	30" 30"	112k 150k	110k 145k
	42"	54"	21"	42"	30"	165k	160k
	48"	60"	21"	48"	30"	195k	190k
	60"	72"	21"	60"	30"	230k	225k
Jumbo-Burner with controls atch Lite, HCSPQMKN/LP, HCMVQMKN/LP, EIS-N/LP)	SIZE	FRONT WIDTH	DEPTH	MINIMUM FIRE BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	36"	48"	24"	36"	30"	150k	145k
	42"	54"	24"	42"	30"	165k	145k 160k
	48"	60"	24"	48"	30"	195k	190k
	60"	72"	24"	60"	30"	230k	225k
	72"	84"	24"	72"	30"	240k	230k
	84"	96"	24"	84"	30"	270k	240k
N	96" 100"	108"	24"	96"	30"	300k	275k
	108" 120"	120" 132"	24" 24"	108" 120"	30" 30"	350k 500k	325k 450k
	.20	102					
Bedrock Vented Linear Drop-in Burner	SIZE	FRONT WIDTH	DEPTH	MINIMUM FIRE BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP
	24"					1	
	24" 36"	24" 36"	15" 15"	24" 36"	20" 20"	30k/20k 45k/30k	30k/15k 45k/20k
	36 48"	36 48"	15 15"	36 48"	20"	45K/3UK 60k/40k	45k/20k 60k/30k
	40 60"	60"	15"	40 60"	20"	75k/50k	75k/40k
	72"	72"	15"	72"	20"	90k/60k	90k/50k
	84"	84"	15"	84"	20"	105k/70k	105k/55k
	96"	96"	15"	96"	20"	120k/80k	120k/60k
		~ 1.					
			-3-2				
	G	IRAND 🔨 🕻	ANYO	N			

MINIMUM FIREPLACE DIMENSIONS

KIVA-Burner with controls (Match Lite, SPQMKN/LP,		MINIMUM FIREPLACE SIZES									
MVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP				
7.0 0	18"	24"	12"	12"	18"	45k	35k				
/////	24"	30"	12"	18"	18"	52k	49k				
	30"	35"	12"	21"	18"	65k	64k				
Glass H-Burner with controls (Match Lite, SPQMKN/LP,				MINIMUM FIRE	PLACE SIZ	ES					
MVQMKN/LP, MMVKR-NG/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP				
	18"	30"	14"	18"	10"	52k	49k				
	21"	33"	14"	21"	10"	58k	58k				
	24"	36"	14"	24"	10"	64k	64k				
	30"	42"	16"	30"	10"	76k	79k				
	36"	48"	16"	36"	10"	81k	83k				
Sales Registration of the Control of	42"	54"	16"	42"	10"	86k	87k				
	48"	60"	16"	48"	10"	150k	145k				
	60"	72"	16"	60"	10"	175k	165k				
Close II Dumer with centrals (MV/VFI/I D)				MINIMUM FIRE	PLACE SIZ	ES					
Glass H-Burner with controls (MVKEI/LP)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	IGHT BTU RATING NG BTU RATIN					
	18"	36"	14"	24"	10"	52k	49k				
	21"	39"	14"	27"	10"	58k	58k				
	24"	42"	14"	30"	10"	64k	64k				
	30"	48"	16"	36"	10"	76k	79k				
04	36"	54"	16"	42"	10"	81k	83k				
	42"	60"	16"	48"	10"	86k	87k				
2-Burner See Through with controls (Match Lite,				MINIMUM FIRE	PLACE SIZ	ES					
HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, EIS-N/L)	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG	BTU RATING LP				
1	18"	30"	14"	30"	14"	103k	93k				
	24"	36"	14"	36"	14"	118k	100k				
	30"	42"	16"	42"	14"	128k	115k				
	36"	48"	16"	48"	14"	135k	125k				
	42"	54"	16"	54"	14"	140k	130k				
	48"	60"	16"	60"	16"	150k	145k				
The same of the sa	40 60"	72"	16"	72"	16"	175k	165k				
							100K				
2-Burner See Through with controls (MVKEIKN/LP)	MINIMUM FIREPLACE SIZES										
- 4	SIZE	FRONT WIDTH	DEPTH	BACK WIDTH	HEIGHT	BTU RATING NG					
1114	18"	36"	14"	BACK WIDTH	HEIGHT	BTU RATING NG 103k	93k				
	18" 24"	36" 42"	14" 14"	36" 42"	14" 14"	BTU RATING NG	93k 100k				
	18" 24" 30"	36" 42" 48"	14" 14" 16"	36" 42" 48"	14" 14" 14" 14"	BTU RATING NG 103k	93k 100k 115k				
	18" 24" 30" 36"	36" 42" 48" 54"	14" 14" 16" 16"	36" 42" 48" 54"	14" 14" 14" 14" 14"	BTU RATING NG 103k	100k 115k 125k				
3-Burner See Through with controls	18" 24" 30"	36" 42" 48"	14" 14" 16"	36" 42" 48" 54" 60"	14" 14" 14" 14" 14" 14"	103k 118k - - -	93k 100k 115k				
3-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42"	36" 42" 48" 54" 60"	14" 14" 16" 16" 16"	36" 42" 48" 54" 60" MINIMUM FIRE	14" 14" 14" 14" 14" 14" 14"	103k 118k - - ES	93k 100k 115k 125k 130k				
	18" 24" 30" 36" 42"	36" 42" 48" 54" 60"	14" 14" 16" 16" 16"	36" 42" 48" 54" 60" MINIMUM FIRE	14" 14" 14" 14" 14" 14" 14" 14" HEIGHT	BTU RATING NG 103k 118k ES BTU RATING NG	93k 100k 115k 125k 130k				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18"	36" 42" 48" 54" 60" FRONT WIDTH 30"	14" 14" 16" 16" 16" THE TENT OF THE TENT	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30"	14" 14" 14" 14" 14" 14" 14" 14" HEIGHT 16"	103k 118k - - - - ES BTU RATING NG	93k 100k 115k 125k 130k BTU RATING LP				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18" 24"	36" 42" 48" 54" 60" FRONT WIDTH 30" 36"	14" 14" 16" 16" 16" DEPTH 14" 14"	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 36"	14" 14" 14" 14" 14" 14" 14" 16" 16"	103k 118k - - - - ES BTU RATING NG 103k 118k	93k 100k 115k 125k 130k BTU RATING LP 93k 100k				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18" 24" 30"	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42"	14" 14" 16" 16" 16" DEPTH 14" 14" 16"	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 36" 42"	14" 14" 14" 14" 14" 14" 14" 16" 16" 16"	103k 118k - - - - ES BTU RATING NG 103k 118k 128k	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18" 24" 30" 36"	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42" 48"	14" 14" 16" 16" 16" DEPTH 14" 14" 16" 16"	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 36" 42" 48"	14" 14" 14" 14" 14" 14" 14" 16" 16" 16" 16"	103k 118k - - - - ES BTU RATING NG 103k 118k 128k 135k	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k 125k				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L)	18" 24" 30" 36" 42" SIZE 18" 24" 30"	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42"	14" 14" 16" 16" 16" DEPTH 14" 14" 16"	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 36" 42" 48" 54"	HEIGHT 14" 14" 14" 14" 14" PLACE SIZ HEIGHT 16" 16" 16" 16" 16"	### BTU RATING NG 103k 118k ES #### BTU RATING NG 103k 118k 128k 135k 140k	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18" 24" 30" 36" 42"	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42" 48" 54"	14" 14" 16" 16" 16" DEPTH 14" 14" 16" 16"	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 36" 42" 48" 54" MINIMUM FIRE	HEIGHT 14" 14" 14" 14" 14" EPLACE SIZ HEIGHT 16" 16" 16" 16" 16" EPLACE SIZ	### BTU RATING NG 103k 118k	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k 125k 130k				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) Jumbo-Burner See Through with controls	18" 24" 30" 36" 42" SIZE 18" 24" 30" 36" 42"	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42" 48" 54"	14" 14" 16" 16" 16" DEPTH 14" 14" 16" 16" 16"	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 36" 42" 48" 54" MINIMUM FIRE BACK WIDTH	14" 14" 14" 14" 14" 14" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16"	### RATING NG 103k 118k ES ##########################	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k 125k 130k				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) Jumbo-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18" 24" 30" 36" 42" SIZE	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42" 48" 54"	14" 14" 16" 16" DEPTH 14" 14" 16" 16" 16" 16" DEPTH 26"	## BACK WIDTH 36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 42" 48" 54" MINIMUM FIRE BACK WIDTH 36"	HEIGHT 14" 14" 14" 14" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16" 30"	### BTU RATING NG 103k 118k	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k 125k 130k				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) Jumbo-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18" 24" 30" 36" 42"	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42" 48" 54"	14" 14" 16" 16" 16" DEPTH 14" 14" 16" 16" 16"	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 36" 42" 48" 54" MINIMUM FIRE BACK WIDTH	14" 14" 14" 14" 14" 14" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16"	### RATING NG 103k 118k ES ##########################	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k 125k 130k BTU RATING LP				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) Jumbo-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18" 24" 30" 36" 42" SIZE	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42" 48" 54"	14" 14" 16" 16" DEPTH 14" 14" 16" 16" 16" 16" DEPTH 26"	## BACK WIDTH 36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 42" 48" 54" MINIMUM FIRE BACK WIDTH 36"	HEIGHT 14" 14" 14" 14" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16" 30"	### BTU RATING NG 103k 118k	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k 125k 130k				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) Jumbo-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18" 24" 30" 36" 42" SIZE 24" 30"	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42" 48" 54" FRONT WIDTH 36" 42"	14" 14" 16" 16" DEPTH 14" 14" 16" 16" DEPTH 26" 26"	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 36" 42" 48" 54" MINIMUM FIRE BACK WIDTH	HEIGHT 14" 14" 14" 14" 14" 16" 16" 16" 16" 16" 16" 16" 16" 16" 16	### RATING NG 103k 118k	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k 125k 130k BTU RATING LP				
(Match Lite, HCSPQMKN/LP, HCMVQMKN/LP, MMVKR-NG/LP, MVKEIKN/LP, EIS-N/L) Jumbo-Burner See Through with controls (Match Lite, HCSPQMKN/LP, HCMVQMKN/LP,	18" 24" 30" 36" 42" SIZE 18" 24" 30" 42" SIZE 24" 30" 36"	36" 42" 48" 54" 60" FRONT WIDTH 30" 36" 42" 48" 54" FRONT WIDTH 36" 42" 48"	14" 14" 16" 16" DEPTH 14" 14" 16" 16" DEPTH 26" 26" 26"	36" 42" 48" 54" 60" MINIMUM FIRE BACK WIDTH 30" 36" 42" 48" 54" MINIMUM FIRE BACK WIDTH 36" 42" 48"	HEIGHT 14" 14" 14" 14" 14" 14" 16" 16" 16" 16" 16" 16" 30" 30" 30"	### BTU RATING NG 103k 118k ES ##########################	93k 100k 115k 125k 130k BTU RATING LP 93k 100k 115k 125k 130k BTU RATING LP 95k 110k 155k				





LAVA VENTED FRONT VIEW BURNER - This one-of-a-kind masterpiece gives the look and the feel of the log on fire; because it is! Each log is individually orificed and ported allowing the fuel to flow out of the log presenting the most realistic gas log set on the market. The revolutionary technology present ultra-realistic style and design to the traditional gas log set. GlowFire™ Log Technology also allows for increased efficiency by using less BTU's and creating a fuller more robust flame effect. The ceramic refractory logs radiate more heat out into the room compared to a traditional concrete gas log set. Available in 4 convenient sizes, gas specific construction, and available with either On/Off or variable flame electronic controls. The Lava Burner series and GlowFire™ Log Technology has created a platform for endless log style and future configuration development.

LAVA VENTED FRONT VIEW BURNER	MODEL#	18"	24"	30"	36"
LAVA FRONT VIEW NATURAL GAS ELECTRONIC IGNITION BURNER (EN)	LAFV-##-EN	\$1619	\$1685	\$1759	\$1975
LAVA FRONT VIEW PROPANE ELECTRONIC IGNITION BURNER (EP)	LAFV-##-EP	\$1619	\$1685	\$1759	\$1975
LAVA FRONT VIEW NATURAL GAS VARIABLE ELECTRONIC IGNITION BURNER (VEN)	LAFV-##-VEN	\$1959	\$2029	\$2099	\$2315
LAVA FRONT VIEW PROPANE VARIABLE ELECTRONIC IGNITION BURNER (VEP)	LAFV-##-VEP	\$2075	\$2145	\$2215	\$2430
GLOWFIRE™ ARIZONA WEATHERED OAK CHARRED LOGS	GFWOC-##	\$659	\$769	\$1099	\$1299

Includes Burner, Lava Rock, Black Embers, Flex Line, Damper Clamp, Manual, and Rating Plate.

EN/EP = ON/OFF Dexen Controls

VEN/VEP = Variable SIT Proflame 1 controls



BEDROCK SERIES



BEDROCK TRADITIONAL - The Traditional featuring NEW GlowFire™ Log Technology, The first-of-its-kind on the open face fireplace integrates the burner tubes inside the actual logs, giving the look and feel of the log on fire. GlowFire™ Logs are specifically designed to bring more fuel efficiencies to the gas log market by consuming less fuel while still creating a fuller

more robust flame compared to a traditional gas log set. The ceramic log mixture radiates more heat out into the room while also creating less flame infringement drastically reducing sooting. *Must add lava rock or 1/2" reflective glass and GlowFire™ Logs.

TRADITIONAL	MODEL#	48"	60"	72"
BEDROCK TRADITIONAL DROP-IN BURNER NATURAL GAS FEATURING GLOWFIRE™ LOGS (EN)*	LDBT##L-EN	\$2005	\$2205	\$2495
BEDROCK TRADITIONAL DROP-IN BURNER PROPANE FEATURING GLOWFIRE™ LOGS (EP)*	LDBT##L-EP	\$2250	\$2465	\$2845
WESTERN DRIFTWOOD BEDROCK TRADITIONAL GLOWFIRE™ LOGS	LDBT-DW##	\$1026	\$1389	\$1489

*Must add logs. Includes Deck, Base, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual, Flex line and Fittings.



BEDROCK CONTEMPORARY LINEAR DROP-IN BURNER -

Drop-in Burner is specifically designed to fit any trough style masonry fireplace or contemporary designed wood burning fireplace. Operated with an SIT Proflame II control system including convenient flame modulation on a sleek hand held remote. The Bedrock Burner is also the **FIRST** vented Drop-in

burner system featuring IC controlled LED lighting that operates with a remote or easy to use App.

*Must add lava rock or 1/2 reflective glass. Cannonballs and Driftwood logs optional.



Includes Case, Burner, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual, Flex line and fittings.



BEDROCK II VENTLESS LINEAR DROP-IN BURNER -

Operated with an SIT Proflame II control system including convenient flame modulation on a sleek hand held remote. The Ventless Bedrock Burner is also the **LARGEST** ventless Drop-in Burner system at 60" featuring IC controlled LED lighting that operates with a remote or easy to use App.

Available in 4 convenient sizes, install indoors or under a covered patio & add 1/2" reflective glass to finish off. Use glass media only. *Must add 1/2" reflective glass.

VENTLESS	MODEL#	24"	36"	48"	60"	
BEDROCK II VENTLESS LINEAR DROP-IN BURNER & CASE NATURAL GAS*	VFLDB##L-EN	\$2669	\$2836	\$3036	\$3258	
BEDROCK II VENTLESS LINEAR DROP-IN BURNER & CASE PROPANE*	VFLDB##L-EP	\$2725	\$2892	\$3092	\$3314	

Includes Case, Burner, S.I.T. Controls w/Remote, LED Lights w/Remote, Rating Plate, Installation Manual, Flex line and Fittings.



SELECT YOUR INDOOR/OUTDOOR LOGS



VENTED LOGS - All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete, ceramic refractory, and stainless steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

	VENTED GAS LOG SET	COMPATIBILITY	MODEL#	18"	21"	24"	30"	36"	42"	48"	60"
	ARIZONA WEATHERED OAK (AWO)	2 & 3	AWO##LOGS	\$271 36#/1	\$340 44#/1	\$469 63#/1	\$670 103#/1		\$1139 185#/2		\$1583 215#/2
	ARIZONA JUNIPER (AJ)	2 & 3	AJ##LOGS	\$333 35#/1	\$395 43#/1	\$526 56#/1	\$727 105#/1		\$1195 210#/2		
D	QUAKING ASPEN (ASPEN)	2 & 3	ASPEN##LOGS	\$333 35#/1		\$526 43#/1	\$727 120#/1				\$1637* 255#/2
	ARIZONA WEATHERED OAK CHARRED (AWO	0) 2 & 3	AWOC##LOGS	\$395 45#/1		\$533 72#/1	\$771 115#/1	\$927 146#/2	\$1200 205#/2		
	WESTERN DRIFTWOOD (DRIFTWOOD)	2 & 3 I	DRIFTWOOD##LOGS	\$333 35#/1	\$395 43#/1	\$526 56#/1	\$727 105#/2		\$1195 210#/2		

*NEW ITEM **##=SIZE weight/boxes

SELECT YOUR BURNER





VENTED BURNERS - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems.

INDOOR VENTED BURNERS SET	MODEL#	18"	21"	24"	30"	36"	42"	48"	60"
GRAND CANYON 2-BURNER	2BRN-##	\$339 30#	\$396 35#	\$428 45#	\$483 50#	\$668 55#	\$813 60#	\$1275 * 75#	\$ 1460* 85#
GRAND CANYON 3-BURNER	3BRN-##	\$550 33#	\$608 38#	\$ 635 48#	\$696 53#	\$879 58#	\$1024 63#		

*Height profile of a 3-burner. Logs not included

OUTDOOR VENTED BURNERS SET	MODEL#	18"	21"	24"	30"	36"	42"	48"	60"
GRAND CANYON 2-BURNER	2BRN-##-SS	\$607 30#	\$706 35#	\$761 45#	\$847 50#	\$1157 55#	\$1399 60#	\$2028 75#	\$2635 85#
GRAND CANYON 3-BURNER	3BRN-##-SS	\$847 33#	\$976 38#	\$1130 48#	\$1223 53#	\$1487 58#	\$1572 63#		

*##=SIZE Logs not included



SELECT YOUR ASSEMBLED BURNER





2 Burner (2BRN-24-NG-SP)

3 Burner (3BRN-24-NG-MVKEI-GCRK)

ASSEMBLED INDOOR 2 AND 3 BURNERS - Assembled burner systems feature factory tested and installed control systems. Tested to the ANSI standard, these assembled systems are a plug and play approach. Indoor use ONLY, ceramic coated chassis with metal bar stock burner tubes all welded together. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, flex line, damper clamp, and vermiculite (LP ONLY).

ASSEMBLED INDOOR 2-BURNER SERIES MODEL#	18"	21"	24"	30"	36"	42"	48"	60"
2BRN-##-NG-SP Assembled 2 burner natural gas with safety pilot system.	\$534	\$592	\$623	\$678	\$862	\$1005	\$1462	\$1646
2BRN-##-NG-MVK-GCRK Assembled 2 burner natural gas with millivolt and remote system.	\$938	\$995	\$1026	\$1081	\$1264	\$1408	\$1865	\$2048
2BRN-##-NG-MMVR Assembled 2 burner natural gas with modulating millivolt and remote system.	\$1046	\$1103	\$1134	\$1189	\$1372	\$1516	\$1973	\$2156
2BRN-##-NG-MVKEI-GCRK Assembled 2 burner natural gas with battery electronic and remote system.	\$1255	\$1312	\$1343	\$1398	\$1581	\$1725	\$2182	\$2365
2BRN-##-LP-SP Assembled 2 burner propane with safety pilot system.	\$590	\$648	\$679	\$734	\$917	\$1060	\$1518	\$1701
2BRN-##-LP-MVK-GCRK Assembled 2 burner propane with millivolt and remote system.	\$1016	\$1074	\$1104	\$1159	\$1342	\$1486	\$1943	\$2126
2BRN-##-LP-MMVR Assembled 2 burner propane with modulating millivolt remote.	\$1101	\$1159	\$1190	\$1244	\$1427	\$1571	\$2028	\$2212
2BRN-##-LP-MVKEI-GCRK Assembled 2 burner propane with battery electronic and remote system.	\$1334	\$1391	\$1422	\$1477	\$1660	\$1804	\$2261	\$2444

Logs not included

ASSEMBLED INDOOR 3-BURNER SERIES MODEL#	18"	21"	24"	30"	36"	42"
3BRN-##-NG-SP Assembled 3 burner natural gas with safety pilot system.	\$743	\$802	\$828	\$1141	\$1324	\$1468
3BRN-##-NG-MVK-GCRK Assembled 3 burner natural gas with millivolt and remote system.	\$1147	\$1205	\$1231	\$1506	\$1688	\$1832
3BRN-##-NG-MMVR Assembled 3 burner natural gas with modulating millivolt and remote system.	\$1255	\$1313	\$1339	\$1399	\$1581	\$1725
3BRN-##-NG-MVKEI-GCRK Assembled 3 burner natural gas with battery electronic and remote system.	\$1463	\$1522	\$1548	\$1607	\$1790	\$1934
3BRN-##-LP-SP Assembled 3 burner propane with safety pilot system.	\$799	\$857	\$883	\$944	\$1126	\$1269
3BRN-##-LP-MVK-GCRK Assembled 3 burner propane with millivolt and remote system.	\$1225	\$1283	\$1309	\$1369	\$1551	\$1695
3BRN-##-LP-MMVR Assembled 3 burner propane with modulating millivolt remote.	\$1310	\$1369	\$1395	\$1454	\$1636	\$1780
3BRN-##-LP-MVKEI-GCRK Assembled 3 burner propane with battery electronic and remote system.	\$1543	\$1601	\$1627	\$1687	\$1869	\$2013

*##=SIZE Logs not included



SELECT YOUR SEE THROUGH LOG SET



VENTED SEE THROUGH INDOOR/OUTDOOR LOGS - All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete, ceramic refractory, and stainless-steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

SEE THROUGH LOG SETS	COMPATIBILITY	MODEL#	18"	24"	30"	36"	42"	48"	60"
ARIZONA WEATHERED OAK (AWOST)	2,3	AWOST##LOGS	\$340 38#/1/7	\$533 71#/1/8	\$733 115#/1/9		\$1313 196#/2/13		
WESTERN DRIFTWOOD (DRIFTWOODS	ST) 2,3 D	PRIFTWOODST##LOGS	\$395 33#/1/7	\$595 80#/1/8	\$794 113#/1/9		\$1288 241#/2/12		
QUAKING ASPEN (ASPENST)	2,3	ASPENST##LOGS	\$395 33#/1/7	\$595 80#/1/8	\$817 113#/1/9		\$1313* 245#/2/13		
ARIZONA JUNIPER (AJST)	2,3	AJST##LOGS	\$395 33#/1/7	\$595 80#/1/8	\$794 113#/1/9		\$1288 241#/2/12		
ARIZONA WEATHERED OAK CHARREI (AWOCST)	D 2,3	AWOCST##LOGS	\$395 33#/1/8	\$595 80#/1/8	\$833 113#/1/9	,	\$1345 241#/2/12		

*NEW ITEM **##=SIZE

weight/boxes/log number in set

SELECT YOUR SEE THROUGH BURNER



urner See Through - Stainless Steel (2BRN-ST24-SS)



3 Burner - See Through (3BRN-ST24)



rner See Through - Stainless Steel (3BRN-ST24-SS)

SEE THROUGH BURNERS - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal bar stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems page.

SEE THROUGH BURNERS	MODEL#	18"	24"	30"	36"	42"	48"	60"
SEE THROUGH 2-BURNER	2BRN-ST##	\$661 30#	\$780 45#	\$852 50#	\$1062 55#	\$1273 60#	\$1791 * 75#	\$2192* 85#
SEE THROUGH 3-BURNER	3BRN-ST##	\$984 33#	\$1130 48#	\$1295 53#	\$1691 58#	\$1974 63#		

*2 burner system, middle & elevated back burner w/height of the 3 burner

Logs not included

SEE THROUGH STAINLESS STEEL BURNERS	MODEL#	18"	24"	30"	36"	42"	48"	60"
SEE THROUGH STAINLESS STEEL 2-BURNER	2BRN-ST##-SS	\$1174 30#	\$1386 45#	\$1512 50#	\$1887 55#	\$2258 60#	\$2548 75#	\$3101 90#
SEE THROUGH STAINLESS STEEL 3-BURNER	3BRN-ST##-SS	\$1413 33#	\$1875 48#	\$2047 53#	\$2502 58#	\$2615 63#		

Note: Stainless Steel See Through Burners are special order, 2-3 weeks lead time. **##=SIZE

Logs not included



SELECT YOUR SEE THROUGH ASSEMBLED BURNER





3 Burner (3BRN-ST24-NG-MVKEI-GCRK)

ASSEMBLED INDOOR 2 AND 3 BURNER SEE THROUGH SYSTEMS - 100% American manufactured burners listed and tested to the ANSI standard. Indoor burners feature ceramic coated chassis with metal bar stock burner tubes all welded together. Burner denoted "-SS" are stainless steel for outdoor use. Available with logs AWO, AWOC, AJ, ASPEN, and DRIFTWOOD. All burner kits include burner, lava rock, black embers, fittings, flex line, damper clamp, and vermiculite (LP ONLY). For LP refer to assembled systems.

ASSEMBLED SEE THROUGH INDOOR 2-BURNER SERIES MODEL#	18"	24"	30"	36"	42"	48"	60"
2BRN-ST-##-NG-SP Assembled 2 burner natural gas with safety pilot system.	\$853	\$972	\$1044	\$1252	\$1460	\$1973	\$2371
2BRN-ST-##-NG-MVK-GCRK Assembled 2 burner natural gas with millivolt and remote system.	\$1257	\$1374	\$1446	\$1654	\$1863	\$2376	\$2773
2BRN-ST##-NG-MMVR Assembled 2 burner natural gas with modulating millivolt and remote system.	\$1365	\$1482	\$1554	\$1762	\$1971	\$2484	\$2881
2BRN-ST-##-NG-MVKEI-GCRK Assembled 2 burner natural gas with battery electronic and remote system.	\$1574	\$1692	\$1763	\$1971	\$2180	\$2693	\$3090
2BRN-ST-##-LP-SP Assembled 2 burner propane with safety pilot system.	\$909	\$1027	\$1099	\$1307	\$1516	\$2028	\$2426
2BRN-ST-##-LP-MVK-GCRK Assembled 2 burner propane with millivolt and remote system.	\$1335	\$1452	\$1524	\$1732	\$1941	\$2454	\$2851
2BRN-ST-##-LP-MMVR Assembled 2 burner propane with modulating millivolt remote.	\$1420	\$1539	\$1610	\$1817	\$2026	\$2540	\$2937
2BRN-ST-##-LP-MVKEI-GCRK Assembled 2 burner propane with battery electronic and remote system.	\$1653	\$1771	\$1842	\$2050	\$2259	\$2772	\$3169

^{*2} burner system, middle & elevated back burner w/height of the 3 burner

Logs not included

ASSEMBLED INDOOR 3-BURNER SERIES MODEL#	18"	24"	30"	36"	42"
3BRN-ST-##-NG-SP Assembled 3 burner natural gas with safety pilot system.	\$1174	\$1318	\$1736	\$2128	\$2409
3BRN-ST-##-NG-MVK-GCRK Assembled 3 burner natural gas with millivolt and remote system.	\$1577	\$1722	\$2100	\$2492	\$2773
3BRN-ST-##-NG-MMVR Assembled 3 burner natural gas with modulating millivolt and remote system.	\$1685	\$1830	\$1993	\$2385	\$2666
3BRN-ST-##-NG-MVKEI-GCRK Assembled 3 burner natural gas with battery electronic and remote system.	\$1894	\$2039	\$2202	\$2594	\$2875
3BRN-ST-##-LP-SP Assembled 3 burner propane with safety pilot system.	\$1230	\$1374	\$1539	\$1931	\$2210
3BRN-ST-##-LP-MVK-GCRK Assembled 3 burner propane with millivolt and remote system.	\$1655	\$1800	\$1963	\$2355	\$2636
3BRN-ST-##-LP-MMVR Assembled 3 burner propane with modulating millivolt remote.	\$1740	\$1885	\$2049	\$2441	\$2722
3BRN-ST-##-LP-MVKEI-GCRK Assembled 3 burner propane with battery electronic and remote system.	\$1973	\$2118	\$2281	\$2673	\$2954

*##=SIZE Logs not included



SELECT YOUR JUMBO/JUMBO SLIMLINE



VENTED JUMBO LOG SETS - Indoor/Outdoor Logs, All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete with a ceramic refractory and Stainless-Steel fiber mesh. Logs installed indoors carry a lifetime warranty and logs that are installed outside carry a 5-year warranty.

VENTED FRONT VIEW JUMBO LOG SETS	MODEL#	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	120"
ARIZONA WEATHERED OAK JUMBO*	JUMBOAWO##LOGS				\$1933 325#/3/13		\$2601 435#/3/15					
AZ WEATHERED OAK CHARRED JUMBO*	JUMBOAWOC##LOGS									\$5464 710#/6/0		
AZ WEATHERED OAK JUMBO SLIM**	JUMBOSLIMAWO##LOGS	\$789 115#/3/8		\$1433 190#/3/11			\$2612 365#/3/15					

*Only 21" deep burners. **Only 18" deep burners.

weight/boxes/log number in set

JUMBO SEE THROUGH LOG SET	MODEL#	24"	30"	36"	42"	48"	60"	72"	84"	120"
*AZ WEATHERED OAK JUMBO SEE THROUGH	JUMBOAWOST##LOGS	\$1171	\$1301	\$1562	\$2070	\$2271	\$2771	\$4176	\$4324	\$6821
	00111207111001111112000	115#/3/9	150#/3/10	190#/3/13	240#/3/13	275#/3/15	365#/3/15	385#/5/26	5/24	5/30

*Only 24" deep burners.

weight/boxes/log number in set

SELECT YOUR JUMBO/JUMBO SLIMLINE BURNER







JUMBO SERIES BURNERS - Ceramic coated chassis w/metal bar stock and burner tubes all welded together. Available w/JUMBO/JUMBOSLIM AWO Logs ONLY. Fits Isokern Magnum Series 18" Deep Burner. Burners denoted - "-SS" are for outdoor use. All burners include lava rock, fittings, flex line, embers, and damper clamp. **ALL Burners NG**.

ALL Dufficts No.													
VENTED FRONT VIEW JUMBO BUR	NERS MODE	L#	24"	30"	36"	42"	48"	60"	72"	84"	96"	108"	120"
JUMBO FRONT VIEW BURNER	JUMBOBR	NR-##			\$2799 95#	\$3090 110#	\$3378 130#	\$3894 160#	\$ 5492 190#	\$6186 230#	\$7143 250#	\$ 7695 280#	\$8522 280#
JUMBO SLIMLINE BURNER	JUMBOSLIM	BRNR-##	\$1830 55#	\$2054 65#	\$2508 75#	\$2746 90#	\$3063 110#	\$3506 140#	\$ 5492 170#				
*Sizes 72"+ special order burner, 3-4 weeks lead time. Logs not included													
FRONT VIEW JUMBO STAINLESS	S STEEL BUR	NERS MO	DDEL#		24"	30"	36"	42"	48"	60"	72"	84"	120"
JUMBO BURNER STAINLESS STEEL		JUMBOE	BRNR-#	#-SS			\$4311 95#	\$4719 110#	\$5186 130#	\$ 5960 160#	\$7742	\$8264	\$13185
JUMBO SLIMLINE BURNER STAINLES	SS STEEL*	JUMBOSLI	MBRNR	-##-SS	\$3018 55#	\$3360 65#	\$4152 75#	\$4574 90#	\$ 5043 110#	\$5770 140#			
*Fits Isokern Magnum Series 18" Deep Bu	urner.										Lo	gs not ir	ncluded
SEE THROUGH JUMBO BURNER	S	MC	DEL#		24"	30"	36"	42"	48"	60"	72"	84"	120"
JUMBO SEE THROUGH BURNER		JUMBOE	BRNR-S	ST##	\$3063 55#	\$3776 65#	\$4806 75#	\$5333 90#	\$6066 110#	\$6731 140#	\$7691 165#	\$8759 180#	\$13423 200#
JUMBO SEE THROUGH BURNER STAI	INLESS STEEL	JUMBOBE	RNR-ST	##-SS			\$7954	\$8851	\$10058	\$10622			



Fits Isokern Magnum Series 24" Deep Burner. Stainless Steel See Through Burners are special order, 3-4 weeks lead time.

Price Guide effective April 01, 2024

Logs not included

VENTED CONTEMPORARY



CANNONBALLS - Available in size 2", 4", and 6". These replica sizes can be installed indoor or outdoor for endless viewing pleasure. These can be paired with the Grand Canyon Gas Logs Glass Burner or H Burner then nestled in a bed of lava granules or crushed reflective glass. Stacking choices are as unique as each piece of history when choosing to stack in a uniform pattern or use all three sizes to create a random unique style.

CANNONBALLS	MODEL#	PRICE	18"	24"	30"	36"	42"	48"	60"
2" CANNONBALLS	CB2-12-##	\$111/set	4	5	7	8	9	10	13
4" CANNONBALLS	CB4-8-##	\$166/set	3	4	5	6	6	8	10
6" CANNONBALLS	CB6-4-##	\$222/set	4	5	6	7	9	10	12

##= COLOR (B) BLACK; (GRY) GRAY; (WHT) WHITE

SETS: 3 ROWS DEEP/2 ROWS HIGH

LINEAR LOGS	MODEL#		24"	36"	48"	60"	72"	84"	96"	108"	120"
LINEAR WESTERN DRIFTWOOD	WD-LINEAR-##LOGS		\$227 24#/1/6	\$313 32#/1/8	\$446 41#/1/9	\$658 63#/2/11				\$1246 93#/2/22 1	
GLASS BURNERS (INDOOR/OUTDO	OR) MODEL#	18"	24"	30"	36"	42"	48"	60"	72"	84"	96"
GLASS BURNER - NG	GLASSBRN-##/12-H	\$212	\$220	\$272							
GLASS BURNER - H STYLE INDOOR	GLASSBRN-##/14-H				\$523	\$594	\$860	\$1104	\$1374	\$1791	
GLASS BURNER - H STYLE OUTDOOR	GLASSBRN-##/12-H-SS	\$280	\$327	\$677							
GLASS BURNER - H STYLE OUTDOOR	GLASSBRN-##/14-H-SS				\$771	\$958	\$905	\$1319	\$2087	\$2239	\$2470

Also choose Lava Granules (HP-B-GR-10) and Glowing Embers (GLE-6B) from page 12 to add to your order or choose glass from page 13.



Linear Western Driftwood (WD-LINEAR-36LOGS)



Glass Burner - Stainless Steel (GLASSBRN-36/14-H-SS)



Glass Burner w/Modulating Millivolt and Remote System - NG (GLASSBRN-30/12-H-NG-MMVR)

VENTED CONTEMPORARY - ASSEMBLED

ASSEMBLED WITH REMOTE SYSTEM 24" ASSEMBLED GLASS BURNERS (INDOOR/OUTDOOR) MODEL# 18" 30" 36" 42" GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/12-H-NG-MVK-GCRK \$812 \$819 \$872 GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/14-H-NG-MVK-GCRK \$1121 \$1190 GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/12-H-LP-MVK-GCRK \$914 \$898 \$974 GLASS BURNER W/MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/14-H-LP-MVK-GCRK \$1199 \$1268 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/12-H-NG-MMVR \$920 \$871 \$980 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - NG GLASSBRN-##/14-H-NG-MMVR \$1229 \$1298 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/12-H-LP-MMVR \$976 \$983 \$1035 GLASS BURNER W/MODULATING MILLIVOLT AND REMOTE SYSTEM - LP GLASSBRN-##/14-H-LP-MMVR \$1284 \$1354 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - NG GLASSBRN-##/12-H-NG-MVKEI-GCRK \$1129 \$960 \$1189 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - NG GLASSBRN-##/14-H-NG-MVKEI-GCRK \$1262 \$1507 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - LP GLASSBRN-##/12-H-LP-MVKEI-GCRK \$1208 \$1040 \$1268 GLASS BURNER W/BATTERY ELECTRONIC AND REMOTE SYSTEM - LP GLASSBRN-##/14-H-LP-MVKEI-GCRK \$1341 \$1411

Also choose Lava Granules (HP-B-GR-10) and Glowing Embers (GLE-6B) from page 12 to add to your order or choose glass from page 13.



CONTROLS, TWIGS, AND ACCESSORIES

ACCESSORIES	MODEL#	MSRP	FEATURES	BURNER
GCRK	GCRK	\$169	Basic On/Off Operations; RF Transmitter & Receiver; LCD Temp Display; Includes Batteries & Wall Plate	MVQMKN/LP; HCMVQMKN/LP; ALL EIS Configurations
WBPB-12/24	WBPB-12	\$522	Bluetooth Wi-Fi & Manual Control; Connect with Home Automation or Weather Smart App; 24V System	ALL EIS Configurations: WBECS
72" PILOT EXTENSION FOR WEATHER BEATER PILOT ASSEMBLY (PILOT NOT INCLUDED)	WB-72EX	\$407		WBECS & HC-WBECS
LARGE INSTALLATION KIT FLEX, KEY, FITTING 3/4"	KIT-LG	\$139		
SMALL INSTALLATION KIT FLEX, KEY, FITTING 1/2"	KIT-SM	\$116		













AZ JUNIPER TWIG SET (AJTWIG3)

GRANULES (HP-B-GR-10)

VOLCANIC ROCK (HP-B-R-10)

PLATINUM EMBERS (PBE-1)

VERMICULITE (VEM-8)

LAVA PEBBLES (NL-5080)

TWIG KITS & MEDIA	MODEL#	LBS.	MSRP
AZ JUNIPER TWIG SET - 3 TWIGS	AJTWIG3	7	\$70
QUAKING ASPEN TWIG SET - 4 TWIGS	ASPENWIG4	8	\$135
AZ WEATHERED OAK CHARRED TWIG SET - 3 TWIGS	AWOCTWIG3	9	\$86
ARIZONA WEATHERED OAK TWIG 3 PC SET - 3 TWIGS	AWOTWIG3	9	\$86
ARIZONA WEATHERED OAK TWIG 5 PC SET - 5 TWIGS	AWOTWIG5	15	\$174
BLUE PINE SPLIT TWIG SET LOGS ONLY 5 PC SET - 5 TWIGS	BPSTWIG5	11	\$162
DRIFTWOOD TWIG SET - 3 TWIGS	DRIFTWOODTWIG3	7	\$70
BLACK GRANULES - 10 LB. BAG	HP-B-GR-10	10	\$23
BLACK VOLCANIC ROCK - 10 LB. BAG	HP-B-R-10	10	\$23
BLACK GLOWING EMBERS - 6 OZ. BAG	GLE-6B	.10	\$31
PLATINUM BRIGHT EMBERS - 1 GRAM	PBE-1	.01	\$19
VERMICULITE - 8 OZ. BAG	VEM-8	.08	\$13
1" - 2" LAVA PEBBLES - 50 LB. BAG	NL-3050	50	\$147
2" – 3" LAVA PEBBLES - 50 LB. BAG	NL-5080	50	\$147
1 GRAM BAG GLOWING WIRE	GLW-1	.0022	\$10
▶ 6 OZ. BAG BLACK VERMICULITE	VEM-6	.375	\$20

Indoor/Outdoor Logs compatible with **ALL** Grand Canyon Gas Logs log sets. Twigs are an easy way to add mass and height to a gas log set. Available in **ALL** log species.

















(RFG-10-PB)

(RFG-10-AT)

ADRIATIC TOPAZ KRYSTALLO DIAMOND (RFG-10-KD)

(RFG-10-VB)

APOLLO BRONZE (RFG-10-AB)

TERRA COPPER (RFG-10-TC)

AMBER DIAMOND (RFG-10-AG)

FIRE GLASS - 1/2" reflective premium fire glass in 10lb. containers.

GLASS 1/2" CRUSHED REFLECTIVE	MODEL#	LBS	MSRP	PER TUB
1/2" POSEIDON RFG (COBALT) - 10 LB. BAG	RFG-10-PB	10	\$5.00 PER LB.	\$50.00
1/2" ADRIATIC TOPAZ RFG (JASPER) - 10 LB. BAG	RFG-10-AT	10	\$5.00 PER LB.	\$50.00
1/2" KRYSTALLO RFG (STARFIRE) - 10 LB. BAG	RFG-10-KD	10	\$5.00 PER LB.	\$50.00
1/2" VESPER RFG (BLACK) - 10 LB. BAG	RFG-10-VB	10	\$5.00 PER LB.	\$50.00
1/2" APOLLO RFG (BRONZE) - 10 LB. BAG	RFG-10-AB	10	\$5.00 PER LB.	\$50.00
1/2" TERRA RFG (COPPER) - 10 LB. BAG	RFG-10-TC	10	\$5.00 PER LB.	\$50.00
1/2" AMBER DIAMOND RFG (AMBER) - 10 LB. BAG	RFG-10-AG	10	\$5.00 PER LB.	\$50.00

Indoor/Outdoor use. Compatible with **ALL** Grand Canyon Gas Logs glass and fire-pit burners. Glass is priced per lb., sold 10 lbs. per order. Calculator found on Grand Canyon Gas Logs website.







SAFETY PILOT KIT (SPQMKLP)

BATTERY ELECTRONIC (MVKEIKLP)

MODULATING MILLIVOLT (MMVKR-LP)

ora Erri i leor iar (or quinter)	DALLE	NI LLLO		INIO (MIVICEIREI)	, 0 =,	o miller of (min vita fir)
DESCRIPTION	MODEL#	MSRP	USE	FEATURES	OPTION	IS BURNER CAPABILITY
MANUAL VALVE HIGH CAPACITY MANUAL VALVE	MA MAHC-GC	\$77 \$98		Manual On/Off w/Knob or Wrench Operations ONLY; Low Profile Design;, Max Inlet 14" W.C. Valve Temp Rating 300°; 90,000 BTU's (NG/LP) - MA; 240,000 BTU's (NG/LP) - MAH	N/A	MA - 2 Burner/Glass/Kiva – 18"-42" (NG/LP) 3 Burner – 18"-30" (NG/LP)
SAFETY PILOT NATURAL GAS SAFETY PILOT PROPANE	SPQMKN SPQMKLP	\$192 \$192	I/0 I/0	Standing Pilot System; Manual On/Off Operations ONLY; Low Profile Design; Max Inlet 14" W.C.; Valve Temp Rating 300°; (NG) 90,000 BTU's; (LP) 90,000 BTU's	N/A N/A	2 Burner/Glass/Kiva – 18"–30" (NG); 18"-42" (LP) 3 Burner – 18"-24" (NG); 18"-36" (LP) Jumbo/Jumbo Slimline - N/A (NG); N/A (LP)
HIGH CAPACITY SAFETY PILOT NATURAL GAS HIGH CAPACITY SAFETY PILOT PROPANE	HCSPK-NG HCSPK-LP	\$432 \$453	-, -	Standing Pilot System; Manual On/Off Operation ONLY; Max Inlet 14" W.C; Valve Temp Rating 250 (NG) 142,000 BTU's; (LP) 142,000 BTU's	s N/A N/A	2 Burner/Glass/Kiva – 18"–42" (NG); 18"-60" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline - 24"-30" (NG); 24"-48" (LP)
MILLIVOLT QUICK MOUNT KIT NATURAL GAS MILLIVOLT QUICK MOUNT KIT PROPANE	MVQMKN MVQMKLP	\$410 \$432	IN IN	Standing Pilot System; On/Off Operations ONLY; Low Profile Design; Max Inlet 14" W.C.; Valve Temp Rating 175°; (NG) 3"-5" W.C. 82,000 BTU's; (LP) 8"-12" W.C. 110,000 BTU's	GCRK (On/Off) Remote GCWS (On/Off) Wall Switcl	2 Burner/Glass/Kiva – 18"-30" (NG); 18"-42" (LP) 3 Burner – 18"-24" (NG); 18"-36" (LP) Jumbo/Jumbo Slimline – N/A (NG); 24"-30" (LP)
MODULATION MILLIVOLT KIT NATURAL GAS MODULATION MILLIVOLT KIT PROPANE	MMVKR-NG MMVKR-LP	\$683 \$683	IN IN	INCLUDES REMOTE; Standing Pilot System; Variab Flame Height; Low Profile Design;, Max Inlet 14" W.C.; Valve Temp Rating 225°; (NG) 7" W.C. 120,000 BTU's; (LP) 7"-14" W.C. 120,000 BTU's	le N/A	2 Burner/Glass/Kiva – 18"-42" (NG); 18"-42" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline – 24"-30" (NG); 24"-30" (LP)
HIGH CAPACITY MILLIVOLT NATURAL GAS HIGH CAPACITY MILLIVOLT PROPANE	HCMVQMKN HCMVQMKLP	\$617 \$672	IN IN	Standing Pilot System; High Volume Output Millivo System; On/Off Operations ONLY; Max Inlet 14" W.C.; Valve Temp Rating 175°; (NG) 3"-5" W.C. 240,000 BTU's; (LP) 8"-12" W.C. 320,000 BTU's	Remote GCWS (On/Off)	2 Burner/Glass/Kiva – 18"–60" (NG); 18"-42" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline – 24"-108" (NG); h 24"-120" (LP)
BATTERY ELECTRONIC NATURAL GAS BATTERY ELECTRONIC PROPANE	MVKEIKN MVKEIKLP	\$715 \$738	IN IN	INCLUDES REMOTE; Non-Standing Pilot; 2-D Cell Battery Electronic Ignition; Pilot on Demar System; On/Off Operations ONLY; Max Inlet W.C., Valve Temp Rating 175°; (NG) 3"-7" W.C. 120,000 BTU's; (LP) 8"-14" W.C. 140,000 BTU	d GCWS	2 Burner/Glass/Kiva – 18"-60" (NG); 18"-60" (LP) 3 Burner – 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline – 24"-30" (NG); 24"-36" (LP)



INDOOR/OUTDOOR = I/O; INDOOR = IN; OUTDOOR = OUT



CONTROLS & ACCESSORIES (CONT)



ELECTRONIC IGNITION SYSTEM 200K BTU* (EIS)



WEATHER BEATER ELECTRONIC CONTROL SYSTEM (WBECS)

DESCRIPTION	MODEL#	MSRP	USE	FEATURES	OPTIONS	BURNER CAPABILITY
ELECTRONIC IGNITION SYSTEM 200K BTU*	EIS	\$1190	IN			
ELECTRONIC IGNITION SYSTEM PROPANE 6' PILOT 320K BTU	EIS-LP	\$1289	IN	Non-Standing Pilot; Pilot on Demand System; 24V Electronic Ignition; On/Off Operations ONLY; In-Wall Design; 6'-10" Pilot Assembly; Max Inlet 14" W.C.; Valve	GCRK (On/Off) Remote GCWS (On/Off)	2 Burner/Glass/Kiva - 18"-60" (NG); 18"-42" (LP) 3 Burner - 18"-42" (NG); 18"-42" (LP)
ELECTRONIC IGNITION SYSTEM 200K BTU 10' PILOT*	EIS-10	\$1234	IN	Temp Rating 175°; (NG) 3"-7" W.C. 200,000 BTU's; (LP) 8"-14" W.C. 320,000 BTU's		Jumbo/Jumbo Slimline - 24"-60" (NG); 24"-96" (LP)
ELECTRONIC IGNITION SYSTEM 320K BTU*	EIS-LP-10	\$1289	IN	BIOS, (LF) 6 -14 W.C. 320,000 BIOS	WDFD12/24	· · · · · · · · · · · · · · · · · ·
ELECTRONIC IGNITION SYSTEM NG OUTDOOR 6' PILOT 200K BTU	EIS-OUTDOOR	\$1289	OUT			
ELECTRONIC IGNITION SYSTEM 200K BTU	EIS-OUTDOOR-10	\$1289	OUT			
ELECTRONIC IGNITION SYSTEM 320K BTU USE LP	EIS-OUTDOOR-LP	\$1289	OUT			

^{*}Indoor use only. Available in 200K, 350K $\&\,720K$ option.

Compatible with ALL burner, in-wall system with 6' pilot assembly lead. Valve & components mounted 12 x 12 x 4 metal enclosure. REMOTE OR WALL SWITCH CAN BE ADDED.

350K BTU ELECTRONIC IGNITIONS 10' PILOT ASSEMBLY LEAD ELECTRONIC IGNITION SYSTEM 350K BTU	EIS-INDOOR-350-10 EIS-OUTDOOR-350	\$1759 \$1650	IN OUT	Non-Standing Pilot; Pilot on Demand System; 24V Electronic Ignition; On/Off Operations ONLY; In-Wall Design; 6'-10' Pilot Assembly; Max Inlet 14" W.C.; Valve Temp Rating 175°; (NG) 3"-7" W.C. 350,000 BTU's; (LP) 8"-14" W.C. 560,000 BTU's	GCRK (On/Off) Remote GCWS (On/Off) Wall Switch WBPB12/24	2 Burner/Glass/Kiva - 18"-60" (NG); 18"-42" (LP) 3 Burner - 18"-42" (NG); 18"-42" (LP) Jumbo/Jumbo Slimline - 24"-120" (NG); 24"-120" (LP)
720K BTU ELECTRONIC IGNITION S 6' PILOT ASSEMBLY LEAD	EIS-INDOOR-720	\$2249	OUT			
WEATHER BEATER ELECTRONIC CONTROL SYSTEM	WBECS	\$1951	OUT	Hot Surface Ignition System; Pilot on Demand System; LED Diagnostics; 12V Electronic Ignition; On/Off Operations ONLY; 24" Pilot Assembly; CSA Certified Control System; Max Inlet 14" W.C.; Valve Temp Rating 175"; 265,000 BTU (NG/LP)	GCRK (On/Off) Remote WBPB12/24	All Fire-Pits; All Fire-Tables; Outdoor Burners
HIGH CAPACITY (500K BTU) WEATHER BEATER ELECTRONIC CONTROL SYSTEM	HC-WBECS	\$2258	OUT	Hot Surface Ignition System; Pilot on Demand System; LED Diagnostics; 12V Electronic Ignition; On/Off Operations ONLY; 24" Pilot Assembly; CSA Certified Control System; Max Inlet 14" W.C.; Valve Term Rating 175°-500 000 RTII (NC/I P)	GCRK (On/Off) Remote WBPB12/24	All Fire-Pits; All Fire-Tables; Outdoor Burners

INDOOR/OUTDOOR = I/O; INDOOR = IN; OUTDOOR = OUT



SELECT YOUR VENTLESS LOG SET



VENTLESS LOGS - Ventless Systems: All logs manufactured by Grand Canyon Gas Logs are individually cast and hand painted to perfection. All logs are built with a high temperature concrete with a ceramic refractory and stainless steel fiber mesh. Logs installed indoors carry a lifetime warranty, burners carry a lifetime warranty, valves/remotes carry a 2 year warranty, and ODS carry a 1 year warranty. Indoor logs compatible with Grand Canyon Gas Log "Vulcan" Ventless Burner ONLY.

VENTLESS GAS LOG SET	MODEL#	18"	24"	30"
WEATHERED OAK (WO)	VFWO##	\$351 28#/1/7	\$414 40#/1/10	\$489 48#/1/10
RED OAK (RO)	VFRO##	\$351 28#/1/7	\$414 40#/1/10	\$489 48#/1/10
SPLIT OAK (SO)	VFSO##	\$351 28#/1/7	\$414 40#/1/10	\$489 48#/1/10
ASPEN BIRCH (AB)	VFAB##	\$351 28#/1/7	\$414 40#/1/10	\$489 48#/1/10

Weight/Boxes/Log number in set



NEV







WEATHERED OAK (VFW018)

RED OAK (VFRO24)

SPLIT OAK (VFSO30)

ASPEN BIRCH (VFAB24)

SELECT YOUR VENTLESS BURNER



VENTLESS BURNERS - Ventless Burners come factory mounted with valves, pilots, and ignition system. All Canyon Series Ventless Burners also are factory tested and duel certified to the vented and ventless ANSI standards.

VENTLESS BURNERS	MODEL#	18"	24"/30"
MILLIVOLT VENTLESS BURNER	VFVUL##M(N/P)	\$1051 25#/1	\$1141 28#/1
VARIABLE VENTLESS BURNER	VFVUL##V(N/P)	\$1148 25#/1	\$1211 28#/1
VARIABLE ELECTRIC VENTLESS BURNER	VFVUL##E(N/P)	\$1409 25#/1	\$1471 28#/1

Logs Not Included

GRAND CANYON GAS LOGS: LOGS - ALL CANYON SERIES VENTLESS BURNERS COME WITH VALVES, PILOTS, AND IGNITION SYSTEM. ALL CANYON SERIES VENTLESS BURNERS ARE ALSO FACTORY TESTED AND DUAL CERTIFIED TO THE VENTED & VENTLESS ANSI STANDARDS.

FIREPLA	FIREPLACE FLOOR SIZE FOR BURNERS WHEN CONNECTED TO GAS LINE IN FIREPLACE DIRECTLY											
FIREPLACE SIZE R	EQUIREMENT CHAR	Γ MIN.	MIN. FIREPLACE DIMENSIONS		BTU'S NAT	URAL GAS	BTU'S PROPANI					
BURNER SIZE	LOG SIZE	FRONT	REAR	DEPTH	HEIGHT	LOW	HIGH	LOW	HIGH			
18"	18"	22"	20"	13"	18"	26K	35K	24K	32K			
24"	24"	28"	20"	14"	18"	19K	37K	19K	37K			
24"	30"	34"	20"	14"	18"	19K	37K	19K	37K			



SELECT YOUR OUTDOOR FIRE PIT KIT



FIRE PIT STACK SETS – Outdoor Fire Pit use only, Grand Canyon Gas Logs Round Flat, Round Tall, and Tee-Pee Stack offer a plug and play solution for existing and new construction fire pits. Choose your stack style, your gas type, controls, and finally one of 3 different log styles. Build your own enclosure or choose one of our outdoor GFRC Fire Bowls.

ROUND FLAT STACK KITS	MODEL#	18"	24"	30"	36"	48"
ROUND FLAT STACK (RFS) NG	RFS-##-NG	\$324 00#	\$369 00#	\$446 00#	\$ 599 00#	\$692 00#
ROUND FLAT STACK (RFS) LP	RFS-##-LP	\$427 00#	\$523 00#	\$754 00#	\$943 00#	\$1334 00#
ROUND FLAT STACK ELECTRONIC START (RFWBECS) NG**	RFS-##-WBECS-NG	\$2359 00#	\$2455 00#	\$2687 00#	\$2944 00#	\$3266 00#
ROUND FLAT STACK ELECTRONIC START (RFWBECS) LP**	RFS-##-WBECS-LP	\$2359 00#	\$2455 00#	\$2687 00#	\$2944 00#	\$3266 00#

*Includes Burner, Lava, Key Valve, and Fittings. **All Electronic Ignition Systems require 120 volts of power ran to the fire pit for valve to operate. LP models includes Stainless Steel disc and WBECS models.



ROUND FLAT STACK ELECTRONIC START (RFWBECS) NG (RFS-36-WBECS-NG)



ROUND TALL STACK ELECTRONIC START (RTWBECS) LP (RTS-30-WBECS-LP)

ROUND TALL STACK KITS	MODEL#	18"	24"	30"	36"	48"
ROUND TALL STACK (RTS) NG	RTS-##-NG	\$410 00#	\$455 00#	\$555 00#	\$734 00#	\$827 00#
ROUND TALL STACK (RTS) LP	RTS-##-LP	\$514 00#	\$609 00#	\$817 00#	\$1124 00#	\$1469 00#
ROUND TALL STACK ELECTRONIC START (RTWBECS) NG**	RTS-##-WBECS-NG	\$2445 00#	\$2541 00#	\$2772 00#	\$3079 00#	\$3401 00#
ROUND TALL STACK ELECTRONIC START (RTWBECS) LP**	RTS-##-WBECS-LP	\$2445 00#	\$2541 00#	\$2772 00#	\$3079 00#	\$3401 00#

*Includes Burner, Torch Star, Lava, Key Valve, Fittings. **All electronic ignition systems require 120 volts of power ran to the fire pit for valve to operate. LP models includes Stainless Steel disc and WBECS models.



SELECT YOUR OUTDOOR FIRE PIT KIT (CONT)



TEE-PEE STACK (TPS) (TPS-36-NG)

TEE-PEE STACK KITS	MODEL#	24"	30"	36"	48"
TEE-PEE STACK (TPS) NG	TPS-##-NG	\$922 00#	\$1039 00#	\$1230 0#	\$1321 00#
TEE-PEE STACK (TPS) LP	TPS-##-LP	\$1077 00#	\$1350 00#	\$1643 00#	\$1964 00#
TEE-PEE STACK ELECTRONIC START (TPWBECS) NG**	TPS-##-WBECS-NG	\$3009 00#	\$3281 00#	\$3575 0#	\$3896 00#
TEE-PEE STACK ELECTRONIC START (TPWBECS) LP**	TPS-##-WBECS-LP	\$3009 00#	\$3281 00#	\$3575 00#	\$3896 00#

^{*}Includes Burner, Lava, Key Valve, Fittings. **All electronic ignition systems require 120 volts of power ran to the fire pit for valve to operate. LP models includes Stainless Steel disc and WBECS models.



ARIZONA WEATHERED OAK 9 PC LOG SET (FPAWO-18/24)



WESTERN DRIFTWOOD 9 PC LOG SET (FPWD-18/24)



ASPEN (BIRCH) 9 PC LOG SET (FPASP-18/24)

FIRE PIT LOG SETS	MODEL#	MSRP
ARIZONA WEATHERED OAK - 9 PC LOG SET	FPAWO-18/24	\$345
ARIZONA WEATHERED OAK - 16 PC LOG SET	FPAWO-30/36	\$677
ARIZONA WEATHERED OAK - 31 PC LOG SET	FPAWO-48	\$1739
WESTERN DRIFTWOOD - 9 PC LOG SET	FPWD-18/24	\$345
WESTERN DRIFTWOOD - 16 PC LOG SET	FPWD-30/36	\$677
WESTERN DRIFTWOOD - 31 PC LOG SET	FPWD-48	\$1739
ASPEN (BIRCH) - 9 PC LOG SET	FPASP-18/24	\$345
ASPEN (BIRCH) - 16 PC LOG SET	FPASP-30/36	\$677
ASPEN (BIRCH) - 31 PC LOG SET	FPASP-48	\$1739



OUR OUTDOOR FIRE PRODUCTS



OUTDOOR FIRE PIT BURNERS – 304 Stainless Steel fire feature burners are easily dropped into an existing fire pit. Outdoor Fire Pit Burners include 3-Spoke Ring Burners, reinforced H Burners, and center feed T Burners. Add a kit to any size to include your flex line, key valve, and natural gas orifices. Propane orifices available as well as round Stainless Steel disc plates.

OUTDOOR 304 STAINLESS STEEL BURNERS	MODEL#	6"	12"	18"	24"	30"	36"	48"	60"	72"
3-SPOKE STAINLESS STEEL RING	FRS##	\$72	\$122	\$143	\$192	\$293	\$357	\$486		
H BURNER	HBSS##		\$82	\$95	\$107	\$145	\$157	\$170	\$221	\$282
T BURNER	TBSS##						\$95	\$126	\$170	\$200
3-SPOKE STAINLESS STEEL RING KIT*	FRS##-NGK	\$211	\$257	\$276	\$325	\$435	\$495	\$624		
H BURNER KIT**	HBSS##-NGK		\$196	\$209	\$221	\$239	\$245	\$263	\$294	\$342
T BURNER KIT***	TBSS##-NGK						\$196	\$227	\$257	\$288

^{*}Fire Ring Kit: 304 stainless steel fire ring, (NG) orifice, 36" flex line, connection fittings & 1/2" key valve (6"-24") 3/4" (30"-48")

PROPANE ORIFICE FOR OUTDOOR BURNERS - \$25

OAS-LP47 .. 50K BTU'S | 6"-12" FIRE RING

OAS-LP41... 75K BTU'S | 18" FIRE RING | 12"-18" H BURNER

OAS-LP35 .. 100K BTU'S | 24" FIRE RING | 24" H BURNER | 36" T BURNER

OAS-LP31 .. 125K BTU'S | 30"-36" H BURNER | **48" T BURNER**

OAS-LP29 .. 150K BTU'S | 48" H BURNER | 72" T BURNER

OAS-LP26 .. 175K BTU's | 60" H BURNER

OAS-LP22 .. 200K BTU's | 72" H BURNER | 72" T BURNER

OAS-LP12... 300K BTU's | 30"-48" FIRE RING INCLUDES 3/4" CONNECTIONS

OAS-LP...... PROPANE ORIFICE

DOOR ACCES



DROP-IN PANS - Round, linear, and rectangular Drop-in Pans are constructed out of 100% 304 Stainless Steel. Rectangular and Linear Pans feature folded edges with reinforcement to eliminate buckling. All pans include burners, NG/LP orifice, connection fittings, and flex line.

OUTDOOR 304 STAINLESS STEEL DROP-IN PANS	MODEL#	19"	24"	25"	30"	31"	36"	48"	60"	72"
ROUND STAINLESS STEEL DROP-IN PAN	DIP-RD-##	\$477		\$566		\$751				
RECTANGULAR STAINLESS STEEL DROP-IN PAN	DIP-REC-##		\$354		\$439		\$501	\$606		
LINEAR STAINLESS STEEL DROP-IN PAN	DIP-LN-##						\$416	\$477	\$538	\$606
STRAIGHT BALL VALVE CHROME PLATE w/3 KEY			MOD	EL#			М	SRP		

STRAIGHT BALL VALVE CHROME PLATE w/3 KEY	MODEL#	MSRP
STRAIGHT BALL VALVE CHROME PLATE w/3 KEY	CP.BVS.CR.B	\$73
FITTINGS & FLEX LINE KIT - 1/2" x 16" FLEXLINE	BAK-12FFL	\$46



^{**}H Burner Kit: 304 stainless steel H burner, (NG) orifice, 36" flex line, connection fittings & 1/2" key valve

^{***}T Burner Kit: 304 stainless steel T burner, (NG) orifice, 36" flex line, connection fittings & 1/2" key valve

SELECT FIRE TABLE







GFRC FIRE TABLES - Glass reinforced concrete (GFRC) fire tables are American made and designed to create a gathering or entertaining area. 18" tall table are to be hard piped in Natural Gas or Propane. Where the 24" tall tables are Propane ONLY with a LP tank access door and thermocouple safety pilot system.

- Color selection. Black (BLK); White with Black Wash (WHT); Gray with Black Wash (GRY); Rust* (RST); or Bone* (BON).
* Colors are not stocked and custom made, 4-6 week lead time order.

	FIRE PIT TABLES -18" HIGH	MODEL#	MSRP
	OLYMPUS RECTANGULAR FIRE PIT TABLE - 60"L 18"H	ORECFT-603018-###-N/P	\$3610
D	OLYMPUS RECTANGULAR FIRE PIT TABLE - 72"L 18"H	ORECFT-723018-###-N/P	\$4211
	OLYMPUS SQUARE FIRE PIT TABLE	OSQRFT-484818-###-N/P	\$3610
	OLYMPUS ROUND FIRE PIT TABLE	ORNDFT-444418-###-N/P	\$3610
	FIRE PIT TABLES -24" HIGH	MODEL#	MSRP
	OLYMPUS RECTANGULAR FIRE PIT TABLE - 60"L 24" H	ORECFT-603024-###-P	\$4091
D	OLYMPUS RECTANGULAR FIRE PIT TABLE - 72"L 24" H	ORECFT-723024-###-P	\$5174
	OPTIONAL UPGRADE FIRE ROUND TABLE COVER	COVER-ORFT-4848	\$148
	OPTIONAL UPGRADE FIRE SQUARE TABLE COVER	COVER-OSFT-4848	\$148
	OPTIONAL UPGRADE FIRE RECTANGLE TABLE COVER	COVER-ORECFT-6030	\$148

Fire tables require 30 lbs. of glass or lava rock. Tables are made with concrete mix and colors may vary from one another.

I Ane	GLASS WIND GUARDS	MODEL#	MSRP
	GLASS WIND GUARD FOR 36" LN	GWG-L36	\$244
	GLASS WIND GUARD FOR 48" LN	GWG-L48	\$352
	GLASS WIND GUARD FOR 19" RND	GWG-R19	\$282



SELECT FIRE BOWL







GFRC FIRE BOWLS - Completely customizable: Choose your size, color, burner style (Ring or Tee-Pee), gas type, and controls. Additional options not included in MSRP are Lava Rock or 1/2" Reflective Fire Glass and 1 of 3 unique fire pit log species (Arizona Weathered Oak, Western Driftwood, and Aspen White Birch).

Glass reinforced concrete (GFRC) fire bowls are American made and designed to create a gathering or entertaining area. Choose from two sizes: 48" diameter (top) x 16" deep or 39" diameter (top) x 13" deep, comes with burner, SS disc ring, and gas orifice.

- Color Selection. Black (BLK); White with Black Wash (WHT); Gray with Black Wash (GRY); Rust* (RST); or Bone* (BON). * Colors are not stocked and custom made, 4-6 weeks lead time order.

R = Ring **TP** = Tee Pee Burner **NG** = Natural Gas **P** = Propane

Shown with logs not included in price, logs are separate order.

ND	FIRE BOWLS	MODEL#	MSRP
	FIRE BOWL - 39" x 13" (NATURAL GAS) *Includes 30" Fire Ring Burner, 33" SS Disc, NG Orifice, Small Install Kit & Feet (Select-Ad	FB3913-R-N-### Iditional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock)	\$2834
	FIRE BOWL - 39" x 13" (PROPANE) *Includes 30" Fire Ring Burner, 33" SS Disc, LP Orifice, Small Install Kit & Feet (Select-Ad	FB3913-R-P-### ditional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock)	\$2834
	FIRE BOWL - 39" x 13" (NATURAL GAS) *Includes 30" Tee Pee Burner, 33" SS Disc, NG Orifice, Small Install Kit & Feet (Select-Ad	FB3913-TP-N-### ditional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock)	\$3389
	FIRE BOWL - 39" x 13" (PROPANE) *Includes 30" Tee Pee Burner, 33" SS Disc, LP Orifice, Small Install Kit & Feet (Select-Add	FB3913-TP-P-### litional Cost: 90 lbs. of Glass or 50 lbs. of Lava Rock)	\$3389
	FIRE BOWL - 48" x 16" (NATURAL GAS) *Includes 36" Fire Ring Burner, 40" SS Disc, NG Orifice, Large Install Kit & Feet (Select-Ac	FB4816-R-N-### Iditional Cost: 190 lbs. of Glass or 70 lbs. of Lava Rock)	\$4369
	FIRE BOWL - 48" x 16" (PROPANE) *Includes 36" Fire Ring Burner, 40" SS Disc, LP Orifice, Large Install Kit & Feet (Select-Ad	FB4816-R-P-### ditional Cost: 190 lbs. of Glass or 70 lbs. of Lava Rock)	\$4369
	FIRE BOWL - 48" x 16" (NATURAL GAS) *Includes 36" Tee Pee Burner, 40" SS Disc, NG Orifice, Large Install Kit & Feet (Select-Add	FB4816-TP-N-### ditional Cost: 190 lbs. of Glass or 70 lbs. of Lava Rock)	\$4960
	FIRE BOWL - 48" x 16" (PROPANE) *Includes 36" Tee Pee Burner, 40" SS Disc, LP Orifice, Large Install Kit & Feet (Select-Add	FB4816-TP-P-### litional Cost: 190 lbs. of Glass or 70 lbs. of Lava Rock)	\$4960
	OPTIONAL COVER ROUND 39D X 13 FIRE BOWL	COVER-FB-3913	\$120
	OPTIONAL COVER ROUND 48D X 16 FIRE BOWL	COVER-FB-4816	\$152



KIVA SETS







AZ WEATHERED OAK KIVA LOGS (AWO-KIVALOGS)



ASPEN KIVA LOGS (ASPEN-KIVALOGS)



KIVA BURNER (KIVABRN-24)



KIVA BURNER STAINLESS STEEL (KIVABRN-24-SS)

KIVA SERIES SETS	MODEL#	MSRP	18"	24"	30"
ARIZONA WEATHERED OAK KIVA LOGS	AWO-KIVALOGS	\$264	ONES	SIZE FITS	ALL
ARIZONA JUNIPER KIVA LOGS	AJ-KIVALOGS	\$264	ONE	SIZE FITS	ALL
ASPEN KIVA LOGS	ASPEN-KIVA LOGS	\$321	ONE	SIZE FITS	ALL
KIVA BURNER	KIVABRN-##		\$324	\$396	\$471
KIVA BURNER STAINLESS STEEL	KIVABRN-##-SS		\$556	\$608	\$656


^{*}Designed for Adobe lit Kiva fireplaces, burners size to fit Adobe Kiva fireplace.







FIREGLASS DISPLAY RACK (GLASS RACK)



Black White

Rust

Gray

Bone

GFRC FIRE-TABLE COLOR DISPLAY SAMPLE (COLOR-CHIPS)

POINT OF PURCHASE MATERIAL

LOG DISPLAY RACKS

THREE TIER DISPLAY RACK	MODEL#	NET COST
3 TIER DISPLAY RACK	DISPLAY RACK	\$150
GLASS CONTAINER DISPLAY RACKS - Holds up to 90 containers	s, 5 shelves.	

FIREGLASS DISPLAY RACK	MODEL#	NET COST
FIREGLASS DISPLAY RACK	GLASS RACK	\$150

GLASS COLOR CHIP DISPLAY - All seven colors available.

GLASS COLOR CHIP DISPLAY	MODEL#	NET COST
6 SECTION GLASS DISPLAY	GLASSBOX	\$7

GFRC FIRE-TABLE COLOR DISPLAY - All five colors available.

GFRC FIRE-TABLE COLOR DISPLAY SAMPLES	MODEL#	NET COST
COLOR SAMPLE 5 PACK GRAY, CHARCOAL BLACK, RUST, WHITE, BONE	COLOR-CHIPS	\$32

GRAND CANYON GAS LOGS SALES BROCHURES

SALES BROCHURES	MODEL#	MSRP
INDOOR BROCHURE 2024	23/24GCINDOOR_V1	FREE
OUTDOOR BROCHURE 2024	23/24-GCOUTDOOR_V1	FREE
BEDROCK LINEAR BURNER BROCHURE 2024	23/24-BEDSERIES_V1	FREE



REPLACEMENT PARTS

ND	PILOT ASSEMBLIES	MODEL#	USE	MSRP
	18" NATURAL GAS THERMOCOUPLE PILOT ASSEMBLY	SPK-PILOT-18	Safety Pilot and Modulating Millivolt	\$79
	18" PROPANE THERMOCOUPLE PILOT ASSEMBLY	SPK-PILOT-18P	Safety Pilot and Modulating Millivolt	\$79
	18" MILLIVOLT PILOT ASSEMBLY NG	MV-PILOT-18	Millivolt and HC Millivolt	\$126
	18" MILLIVOLT PILOT ASSEMBLY LP	MV-PILOT-18P	Millivolt and HC Millivolt	\$126
	36" MILLIVOLT PILOT ASSEMBLY NG	MV-PILOT-36	Millivolt and HC Millivolt	\$144
	36" MILLIVOLT PILOT ASSEMBLY LP	MV-PILOT-36P	Millivolt and HC Millivolt	\$144
	120" ELECTRONIC PILOT ASSEMBLY NG	ELE-PILOT-120	EIS Indoor / Outdoor	\$246
	120" ELECTRONIC PILOT ASSEMBLY LP	ELE-PILOT-120P	EIS Indoor / Outdoor	\$246
	72" ELECTRONIC PILOT ASSEMBLY NG	ELE-PILOT-72	EIS Indoor / Outdoor	\$221
	72" ELECTRONIC PILOT ASSEMBLY LP	ELE-PILOT-72P	EIS Indoor / Outdoor	\$221
	24" PILOT ASSEMBLY FOR BATTERY ELECTRONIC	MVK-PILOT-24	Battery Electronic	\$101
	24" PILOT ASSEMBLY FOR BATTERY ELECTRONIC LP	MVK-PILOT-24P	Battery Electronic	\$101
	LP CONVERSION KIT ORIFICE AND AIR MIXER ASSEMBLY	LP-CONV	2BRN, 3BRN, Jumbo Jumbo Slim, GLASSBRN, and Kiva	\$54



HIGH OUTPUT MILLIVOLT (700-506)



36" MILLIVOLT PILOT ASSEMBLY NG (MV-PILOT-36)



18" Propane Thermocouple Pilot Assembly (SPK-PILOT-18P)

VALVES	MODEL#	USE	MSRP
NG->LP CONVERSION KIT	1751-016	MVQMKN / LP HCMVQMKN / LP ALL EIS	\$31
HIGH OUTPUT MILLIVOLT NATURAL GAS	700-506	HCMVQMKN / HCMVQMKLP	\$500
STANDARD MILLIVOLT GAS VALVE NATURAL GAS	710-502	MVQMKN / MVQMKLP	\$277
200K BTU HEATING KIT NON-LOCKOUT	712-017	EIS / EIS-OUTDOOR	\$750
350K BTU VALVE - ELECTRONIC W/O TRNSFMR,PILOT TUBE & BRNR	712-006	EIS-350 / EIS-OUTDOOR-350	\$999
VENTED MANUAL SAFETY VALVE SKYTECH	AF-1000	MMVKR-N / LP	\$131



REPLACEMENT PARTS







36" THERMOPILE LEAD (1950-001)



SKYTECH VARIABLE/THERMOSTAT REMOTE/RECEIVER (SR1001TH-1-GC)

CONTROL ASSEMBLIES			MODEL#	USE		MSRP
SPARK IGNITER ASSEMBLY 10'			1751-120	EIS W/10' PILOT		\$181
SPARK IGNITER ASSEMBLY 6'			1751-749	EIS W/6' PILOT		\$150
18" THERMOCOUPLE			1900-01H Safety Pilot and Modulating Millivol		Pilot and ng Millivolt	\$20
36" THERMOPILE LEAD			1950-001	Millivolt and HC		\$62
24V TRANSFORMER -FOOTMOUNT FOOTMOUNT HARDWIRE			620-403	0-403 Millivolt		\$110
IGNITION MODULE (NON-LOCKOUT) IPI IGNITION (ROBERTSHAW)			780-715	ALL EIS		\$550
IGNITION MODULE (LOCKOUT) IPI IGNITION (ROBERTSHAW)			780-845	EIS-350 and EIS-720		\$649
12V TRANSFORMER WEATHER BEATER			TR-120-12 Weather Beater		\$117	
VARIABLE FLAME MOTOR DRIVE FOR RCAF-1020-1 REMOTE CONTROL			AF-1000MH-L MMVKR-NG/LP		R-NG/LP	\$105
ON/OFF/HI/LOW TRANSMITTER, RECEIVER, AND BATTERIES VENTED			RCAF-1020-1	MMVKR-NG/LP		\$164
VARIABLE/THERMOSTAT REMOTE/RECEIVER VENTLESS			SR1001TH-1-GC Variable Ventless		Ventless	\$218
OUTDOOR TO BURNER	MODEL#		24"	30"	36"	48"
OUTDOOR TP BURNER						
OUTDOOR TP BURNERS	OTPB-##		\$791	\$911	\$1082	\$1228
STAINLESS STEEL DISCS	MODEL#	18"	24"	30"	36"	48"
STAINLESS STEEL DISCS	DISC-##	\$105	\$212	\$352	\$422	\$750







WEBSITI

RPG

BRANDS







www.GrandCanyonGasLogs.com

PHONE: 602-344-4217

customerservice@grandcanyongaslogs.com

Copyright © 2024 RPG Brands and Grand Canyon Gas Logs. All rights reserved. Products and specifications subject to change without notice.