Direct Vent Gas Fireplaces CAPTIVATING BEAUTY. INVITING WARMTH.





JUST YOUR STYLE. With a variety of options, ranging from specialty and contemporary to more traditional styles, you're sure to discover the perfect Majestic direct vent gas fireplace to complement your new home or addition.



ALL OUR MAJESTIC DIRECT VENT GAS FIREPLACES OFFER GREAT FEATURES INCLUDING

WIDE VIEWING AREAS

Designed to deliver a beautiful flame picture, all of our fireplaces provide an expansive view of the fire that will delight friends and family.

WARMTH AND COMFORT

No matter which style you choose, you can depend on Majestic fireplaces to deliver ample BTUs to help heat your home for years to come.

EXCLUSIVE SIGNATURE COMMAND® SYSTEM

Enjoy the ultimate in fireplace control, featuring a touch screen remote and 3-step flame height adjustment. With electronic ignition, this system lights the pilot only when you turn it on to help save energy. And, with automatic battery back-up, you can be assured of fireplace operation even if the power goes out.



Look for Total Signature Command® on select models, featuring the exclusive Smart Mode® thermostat for enhanced energy efficiency, rear burner shut down and more!

Note: The Patriot (CFDV) utilizes the EcoLogic® control system. Learn more about Signature Command® and EcoLogic® options on the back cover.

SAFETY FIRST

Because our fireplaces were designed to deliver maximum BTUs to provide the best heating solutions for your home, the units will become hot to the touch. Consequently, all Majestic direct vent fireplaces come standard with a certified safety barrier. The screen barrier affixes to your fireplace and has been approved by a third party testing agency to conform to specific standards designed to prevent injury from hot glass.











PATRIOT QUICK LOOK

Sizes	33", 36", 42"
Heating Capacity	Up to 900 sq. ft.
Max BTUs	Up to 24,000
Thermal Efficiency	Up to 78%
Control System	IPI or Millivolt
Safety Screen Barrier	Included
160 cfm Blower	Optional

ADDITIONAL FEATURES

- Flexible installation The Patriot fireplace ships with a traditional log set, ready to add your choice of firebrick or porcelain panels. Swap the log set for a stone and fireglass kit or fireglass for a contemporary look at a cost effective price.
- Safety screen barrier
- Optional battery back up kit (for IPI models)
- Optional remote three step flame control



Safety Screen Barrier (standard)



DESIGN OPTIONS

Interior Firebrick









Cottage Red


Cottage Clay

Black Porcelain

Fireglass Kit



Tavern Brown







ELICIT TIMELESS BRILLIANCE With three sizes to choose from, the DVB Series firepla

With three sizes to choose from, the DVB Series fireplace provides a reliable heat source for any room. Its classic style features optional firebrick and trim packages, so you can create just the look you desire.



Sizes	33", 36", 42"
Heating Capacity	Up to 1,020 sq. ft.
Max BTUs	26,000
Thermal Efficiency	Up to 80%
Control System	Signature Command® or Millivolt
Safety Barrier Screen	Included
160 cfm Blower	Optional

ADDITIONAL FEATURES

400DVB shown without firebrick

- Natural Flame burner system
- Deluxe control panel
- Safety screen barrier





Safety Screen Barrier (standard)

DESIGN OPTIONS

Interior Firebrick



Tavern Brown



Cottage Red



Cottage Clay



Black Trim available in Medium (shown) and Curved styles

CABINET OPTIONS

Cabinet Options for 33" and 36" DVB



Barrington Dark Walnut Wall Cabinet



Barrington Unfinished Walnut Wall Cabinet

Cabinet Options for 36" and 42" DVB



Honey Oak Wall or Corner Cabinet



Dark Cherry Wall or Corner Cabinet



Unfinished Birch Wall or Corner Cabinet (Available in corner styles by special color)



Unfinished Oak Wall or Corner Cabinet (Available in corner styles by special color)





SOLITAIRE DESIGN A SINGULAR STUNNER

The clean, contemporary Solitaire fireplace comes in three sizes to fit your decor. Create a custom look — Solitaire fireplaces let you stretch your imagination with a wide variety of accessories. Develop your style with alternate firebrick choices, or create a dramatic, modern focal point using our optional stone and fireglass kits.



SOLITAIRE QUICK LOOK


SULITAINE QUICK LOOK						
Sizes	33", 36", 42"					
Heating Capacity	Up to 1,175 sq. ft.					
Max BTUs	27,000					
Thermal Efficiency	Up to 80%					
Control System	Signature Command®					
Safety Screen Barrier	Included					
160 cfm Blower	Optional					





Safety Screen Barrier (standard)





ADDITIONAL FEATURES

- Ember bed burner
- Deluxe control panel
- Removable unitized black louver assembly for ease of installation
- Available as a dedicated top vent unit
- Safety screen barrier

DESIGN OPTIONS

Interior Firebrick



Cottage Red



Tavern Brown



Cottage Clay



Vintage Brown




Olde English



Black Porcelain

Fireglass



Fireglass Kit



DESIGN OPTIONS Interior Firebrick





Tavern Brown

Cottage Clay

Finishing



Black trim available in curved style

CAMEO QUICK LOOK

Sizes	42", 47"
Heating Capacity	Up to 1,600 sq. ft.
Max BTUs	32,000
Thermal Efficiency	Up to 80%
Control System	Signature Command®
Safety Screen Barrier	Included
160 cfm Blower	Optional





Safety Screen Barrier








PEARL QUICK LOOK

Styles	See-Thru, Corner, Peninsula
Heating Capacity	Up to 1,450 sq. ft.
Max BTUs	Up to 37,000
Thermal Efficiency	Up to 80%
Control System	Signature Command®
Safety Screen Barrier	Included
160 cfm Blower	Optional




Safety Screen Barriers Standard

(Corner and see-thru include two, peninsula includes three.)



Safety Screen Barriers



DESIGN OPTIONS

Interior Firebrick




Cottage Red











Note: Glass kits include one 2.25 lb. bag. Designer units require two bags.

MAJESTIC DIRECT VENT SYSTEMS LINEUP

MODEL		PATRIOT		DVB				
SIZES	33"	36"	42"	33"	36"	42"		
Model Numbers	33CFDV	36CFDV	42CFDV	300DVB	400DVB	500DVB		
Standout Feature	Easily convertible	e from a traditional to a con	itemporary look.	Many choices for finishing to fit any decor				
Control System		IPI or Millivolt Control		Signature Command® or Millivolt				
Max heating capacity (sq ft)	600	735	900	835 940 1,01				
Viewing style		Front, Clean Face			Front			
Maximum viewing area (sq in)	540	580	660	486 591		672		
Max BTU/h*	18,000	21,000	24,000	21,000	24,000	26,000		
Thermal efficiency	Up to 66.7%	Up to 78%	Up to 75%	Up to 80%				
Burner system		Natural Flame		Natural Flame				
AFUE Efficiency	Up to 63.8%	Up to 66%	Up to 72.8%	Up to 63.2%				
FE Ratings (Canada)	61.9% NG 63% NG 72.6% LP 67.7% LP		74.5% NG 84.2% LP	61.8%NG 55.7% LP	61.1% NG 60.7% LP	61.3%NG 60.8% LP		
Dimensions (Actual)	32 %" W 31 ¾" H 15 %" D	37" W 34 %" H 15 %" D	41" W 34 %" H 15 7%" D	33 ⅓₅" W 37 ⅓" H 14" D	37 1/46" W 41 1/2" H 16" D	41 1/16" W 41 1/2" H 16" D		
Dimensions (Framing)	32 % " W 35 % " H 15 %" D	37 ½" W 38 ¾" H 15 %" D	41 ½" W 38 ¾" H 15 %" D	33 ½" W 38" H x 13 ¾" D	37 ½" W 41 %" H 15 ¾" D	41 ½" W 41 %" H 15 ¾" D		
ACCESSORIES								
Remotes		Optional		Optional				
Blower Kits		Optional		Optional				
Field Fuel Conversion Kit		Available		Available				


CABINET DIMENSIONS


PRODUCT	SURROUND	A	В	С	D	Е	F	G	Н	1	MAX ADJ OPENING	MIN ADJ OPENING	MAX FIREPLACE DEPTH
STANDARD W	STANDARD WALL CABINET MANTELS												
400DVB	WSHGC32	57 3/4"	21"	49 ¾"	18"	39 1/4"	37 ¾"	35 %"	52 1/4"	5"	_	_	_
500DVB	WSHGC36	61 ½"	22 1/4"	49 ¾"	19 3/4"	43 1/4"	41 3/4"	35 %"	56 1/4"	5"	_	_	_
STANDARD C	ORNER CABINET	MANTE	LS										
400DVB	CSHGC32	62"	43 %"	35 5%"	49 ¾"	39 1/4"	37 ¾"	35 %"	57 1/4"	5"	_	_	_
500DVB	CSHGC36	67 ½"	47 3/4"	39 1/8"	49 ¾"	43 1/4"	41 3/4"	35 1/8"	63"	5"	_	_	_
BARRINGTON	CABINET												
300DVB	BWC400	61 9/16"	18 1⁄4"	50 3/4"	34 3/8"	5"	47 5/8"	30"	_	_	35 ½" W 32 ¾" H	32" W 29" H	14"
400DVB, 500DVB	BWC500	67 ½"	22 1/4"	55"	_	_	_	_	_	_	42" W 37 %" H	36" W 33" H	18"


Gold indicates upgrade from previous model.

*For natural gas models.

	SOLITAIRE		CAN	IEO		PEARL			
33"	36"	42"	42"	47"	36" SPECIALTY				
BLDV300	BLDV400	BLDV500	500DVM	600DVM	STLDV, PFLDV, CLLDV, CRLDV				
Stylish finishin	g options from traditional	to contemporary	Wide viewing area, increa finishing	3 different configurations for versatile style a installation options Signature Command®					
	Signature Command®		Signature C						
850	1,060 1,200		1,500 1,600		1,780				
	Front, Clean Face		Fro	nt	See-Thru, Peninsula, Corner				
600	754	858	764	903	See Thru: 2,000	Peninsula: 2,771	Corner: 1,762		
22,000	26,000	28,000	30,000	32,000	37,000				
	Up to 80%		Up to	Up to 80%					
	Natural Flame		Natural	_					
_	Up to 71%	Up to 68.1%	Up to 64%	_	67.01% NG / 68.28% LP				
60.2% NG 64.2% LP	68.1% NG 62.8% LP	64.1% NG 67.9% LP	Up to 82%	Up to 78%	69.7% NG 79.4% LP				
34 ½" W 37 ¾" H 15 %6" D	37 ¹ / ₁₆ " W 40 %" H 17 % ₆ " D	41 1/16" W 41 3/4" H 17 3/16" D	41" W 46 5⁄46" H 22 5∕46" D	47" W 46 ⁵ ⁄₁6" H 22 ⁵ ∕₁6" D	See Thru: 44" W 40 ⁵ / ₁₆ " H 23 ³ / ₄ " D	Peninsula: 44" W 40 ⁵ /16" H 23 ³ /4" D	Corner: 44" W 40 ⁵ / ₁₆ " H 23 ³ / ₄ " D		
34 ½" W 38 ½" H 15 ½" D	37 ½6" W 41 ¾" H 17 ½6" D	41 ⁷ / ₁₆ " W 41 ¾" H 17 ½ ₁₆ " D	42 ½" W 46 ½" H 20 ¾" D	48 ½16" W 46 ½" H 20 ¾" D	See Thru: 50 ½6" W 48 ⅙" H 23" D	Peninsula: 46 ⁵ %" W 48 ³ ⁄16" H 23" D	Corner: 46 ⁵ %" W 48 ³ / ₁₆ " H 23" D		
			1						
	Optional		·	Optional			Optional		
	Optional		Optio	Optional			Optional		
	Available		Avail	able	Available				







ULTIMATE CONVENIENCE AT YOUR FINGERTIPS

Majestic offers three control systems for our direct vent gas fireplaces.

Discover the level of control that's right for you!

EcoLogic® System

The EcoLogic® fireplace control system offers the benefits of an energy efficient intermittent pilot system, with the simplicity of a millivolt valve.

Featuring:

- Electronic ignition just flip the wall switch to enjoy your fireplace.
- Pilot selection option choice of cold climate standing pilot or the energy efficient intermittent pilot
- Memory shut off remembers your favorite setting the next time the fireplace is turned on
- Convenient diagnostic code indication lights
- Built-in remote receiver for the option to easily add a remote control

Signature Command® System

An A/C adaptor is included; however, unlike competing control systems that require A/C to function, the Signature Command® System can be installed where no power is available, making it more convenient than ever to enjoy the fire.

Featuring:

- ON/OFF 3-step variable flame height adjustment
- Automatic, uninterrupted battery back-up during power outages
- Pilot selection option choice of cold climate standing pilot or the energy efficient intermittent pilot
- Memory shut off remembers your favorite setting the next time the fireplace is turned on
- Convenient diagnostic code indication lights
- Built-in remote receiver for the option to easily add a remote control

Total Signature Command® System

Enjoy the convenience of a technologically advanced and energy efficient fireplace control system! By adding a simple module you can have all the features below*:

Featuring:

All of the features included with Signature Command® System

PLUS:

- Smart Mode® thermostat for enhanced energy efficiency — it automatically adjusts flame height and/or blower to maintain the desired temperature, using only the energy it needs to help save on fuel costs.
- TSFSC Full Function Touch Screen remote control
- Rear burner shut down feature lowers heat output as much as 70% for ambiance when heat is not needed (on select fireplaces)
- A/C accessory model for added control features, like household lighting, waterfall feature, and more!

Remotes and thermostats are available for all models for added convenience.



Touch screen hand held ON/ OFF remote. A touch screen remote comes standard with Total Signature Command® models.



Thermostat ON/OFF remote control with 3-step flame height adjustment and 3-step blower control with receiver

*if equipped with required accessories

Not all control systems available on all models.



YOUR STYLE, YOUR HOME, YOUR LIFE

149 Cleveland Drive, Paris, Kentucky 40361 majesticproducts.com















Your Majestic Dealer:



Warning: Hot glass will cause burns. Do not touch glass until cooled. Never allow children to touch glass

FPO for FSC certification To avoid personal injury or property damage, the product described by this brochure must be installed, operated and maintained in strict compliance with the instructions packaged with the product, and all applicable building or fire codes. Contact local building or fire officials about restrictions and installation inspection requirements. All photographs and drawings on this brochure are for illustrative purposes only and are not intended, nor should they be used as a substitute, for the instructions packaged with the unit. Appearance and specifications of the product are subject to change without notice. © 2015 Hearth & Home Technologies

For more information about Majestic efficient and environmentally friendly products, please visit majesticproducts.com