

PRICE LIST - USA

MADE

IN CANADA









WWW.OSBURN-MFG.COM

STOVE BUILDER INTERNATIONAL INC. (SBI)

250, DE COPENHAGUE ST-AUGUSTIN-DE-DESMAURES (QUEBEC) CANADA G3A 2H3

CUSTOMER SERVICE

PHONE: 844-344-3071 FAX: 1-888-355-5067

E-MAIL: SAC@SBI-INTERNATIONAL.COM

2024

Table of contents

WOOD STOVES (EXEMPT) - LARGE	4
GUSTO WOOD BURNING COOKSTOVE - OB02047	4
WOOD STOVES (EPA 2020) - SMALL	5
950 WOOD STOVE - OB00950	5
WOOD STOVES (EPA 2020) - MEDIUM	6
1700 WOOD STOVE - OB01700	6
WOOD STOVES (EPA 2020) - LARGE	7
2000 WOOD STOVE WITH BLOWER - OB02015	7
INSPIRE 2000 WOOD STOVE - OB02042	8
MATRIX WOOD STOVE WITH BLOWER - OB02032	9
WOOD STOVES (EPA 2020) - EXTRA LARGE	10
3300 WOOD STOVE - OB03300	10
3500 WOOD STOVE WITH BLOWER - OB03500	11
WOOD INSERTS (EPA 2020) - SMALL	12
MATRIX 1900 WOOD INSERT - OB01900	12
WOOD INSERTS (EPA 2020) - MEDIUM	13
1700 WOOD INSERT - OB01705	13
WOOD INSERTS (EPA 2020) - LARGE	14
2000 WOOD INSERT - OB02016	14
INSPIRE 2000-I WOOD INSERT - OB02045	15
MATRIX 2700 WOOD INSERT - OB02700	16
MATRIX WOOD INSERT - OB02028	17
WOOD INSERTS (EPA 2020) - EXTRA LARGE	18
3500 WOOD INSERT - OB03510	18
WOOD FIREPLACES (EPA 2020) - LARGE	19
EVEREST II WOOD FIREPLACE - OB04016	19
STRATFORD II WOOD FIREPLACE - OB04007	20
WOOD FIREPLACES (EPA 2020) - EXTRA LARGE	21
HORIZON WOOD FIREPLACE - OB04010	21
PELLET STOVES (EPA 2020) - MEDIUM	22
2500 PELLET STOVE - OP00025	22
FIREPLACE TOOL SETS	23

WOOD STOVES (EXEMPT) - LARGE

GUSTO WOOD BURNING COOKSTOVE



Manufacturer code OB02047



MSRP \$5099.00

UPC code 773388265780



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

A	
OA10268 • BLACK DECORATIVE MOLDING	\$200.00
OA10269 • BRUSHED NICKEL DECORATIVE MOLDING	\$350.00
OPTIONS	MSRP
AC01211 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01212 • 8 1/2" X 8 1/2" STEATITE COOKING PLATES (2 UNITS)	\$129.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02090 • 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$45.00
AC02765 • 60" X 64 1/8" CERTIFIED MODULAR HEAT SHIELD SYSTEM	\$820.00
OA10132 • GLASS ASH LIP	\$150.00

Approved for an alcove installation	: No
Chimney diameter	: 6"
Height X Width X Depth - Overall	: 41 7/8" X 29 3/8" X 29"
Maximum log length	: 20"
Approved for a mobile home installation	: Yes, with fresh air intake
Shipping Weight	: 575 lb (261 kg)
Recommended heating area-ft²	: 500 - 2,100
Combustion Technology	: Non-catalytic
Blower included	: No

WOOD STOVES (EPA 2020) - SMALL

950 WOOD STOVE



Manufacturer codeMSRPOB00950\$1849.00

UPC code 773388203577

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



OPII	ONS	MSRP
AC01349	• 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01420	RIGID FIRESCREEN	\$160.00
AC01421	• 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE	\$150.00
AC02023	BLOWER WITH THERMODISC	\$250.00
AC02090	5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$45.00

7/8"
ake

WOOD STOVES (EPA 2020) - MEDIUM

1700 WOOD STOVE



Manufacturer codeMSRPOB01700\$1899.00

UPC code 773388177861

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

A		
OA10249	BLACK DOOR OVERLAY	\$100.00
OA10250	BRUSHED NICKEL DOOR OVERLAY	\$250.00
В		
OA10244	PEDESTAL WITH ASH DRAWER	\$350.00
OA10245	BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$500.00
OA10246	BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$750.00
OA10247	BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$300.00
OA10248	BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$700.00
OPTIO	ANC.	
		MCDD
OPTI	פאכ	MSRP
AC01000	• 130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED)	\$360.00
AC01000	130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED)	\$360.00
AC01000 AC01291	130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED) 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$360.00 \$200.00
AC01000 AC01291 AC01299	130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED) 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS RIGID FIRESCREEN	\$360.00 \$200.00 \$180.00

ILAIONEO	
Approved for an alcove installation	: Yes
Chimney diameter	: 6"
Height X Width X Depth - Overall	: 30 3/8" X 24 7/8" X 23 1/4"
Average particulate emissions rate	: 1.26 g/h
Maximum log length	: 18"
Approved for a mobile home installation	: Yes
Shipping Weight	: 336 lb (153 kg)
Recommended heating area-ft ²	: 500 - 1,800
Combustion Technology	: Non-catalytic
Maximum burn time	: 7 h
Blower included	: No
Overall firebox volume-ft³	: 1.86
o voicin modox voicino it	

WOOD STOVES (EPA 2020) - LARGE

2000 WOOD STOVE WITH BLOWER



Manufacturer codeMSRPOB02015\$2399.00

UPC code 773388164168

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES	MSRP
A	
OA10237 • BLACK DOOR OVERLAY	\$100.00
OA10238 • BRUSHED NICKEL DOOR OVERLAY	\$300.00
В	
OA10226 • BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$300.00
OA10228 • BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$650.00
OA10235 • BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$500.00
OA10236 • BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$750.00
OA10239 • PEDESTAL WITH ASH DRAWER	\$400.00
OPTIONS	MSRP
OPTIONS AC01211 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01211 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01211 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS AC01315 • RIGID FIRESCREEN	\$200.00 \$180.00
AC01211 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS AC01315 • RIGID FIRESCREEN AC01336 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$200.00 \$180.00 \$110.00
AC01211 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS AC01315 • RIGID FIRESCREEN AC01336 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$200.00 \$180.00 \$110.00 \$250.00
AC01211 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS AC01315 • RIGID FIRESCREEN AC01336 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC02055 • QUICK CONNECT THERMODISC	\$200.00 \$180.00 \$110.00 \$250.00 \$80.00

Approved for an alcove installation	: Yes
Chimney diameter	: 6"
Height X Width X Depth - Overall	: 33 1/8" X 27" X 29"
Average particulate emissions rate	: 2.3 g/h
Maximum log length	: 20"
Approved for a mobile home installation	: Yes
Shipping Weight	: 390 lb (177 kg)
Recommended heating area-ft²	: 500 - 2,100
Combustion Technology	: Non-catalytic
Maximum burn time	: 8h
Blower included	: Yes
Overall firebox volume-ft³	: 2.4

WOOD STOVES (EPA 2020) - LARGE

INSPIRE 2000 WOOD STOVE



Manufacturer code MSRP OB02042 \$3049.00

UPC code 773388165943

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α	
OA10242 • BLACK DECORATIVE SIDE PANEL	\$200.00
B	
OA10240 • BLACK STEEL BASE	\$550.00
OA10241 • SOAPSTONE BASE	\$1150.00
OA10243 • MINIMALIST BASE	\$350.00
OPTIONS	MSRP
AC01236 • MOULDED REFRACTORY PANELS	\$700.00
AC01237 • MOULDED REFRACTORY PANELS FOR MINIMALIST BASE AND INSERT	\$800.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02055 • QUICK CONNECT THERMODISC	\$80.00
AC02090 • 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$45.00
AC02775 • NIGHTELAME EFFECT GLASS FOR INSPIRE 2000 STOVE AND INSERT	¢440.00
AC02775 • NIGHTFLAME EFFECT GLASS FOR INSPIRE 2000 STOVE AND INSERT	\$449.00

Approved for an alcove installation	: Yes
Chimney diameter	: 6"
Height X Width X Depth - Overall	: 35 5/8" X 27 7/8" X 24 1/4"
Average particulate emissions rate	: 2.3 g/h
Maximum log length	: 20"
Approved for a mobile home installation	: Yes
Shipping Weight	: 439 lb (199 kg)
Recommended heating area-ft²	: 500 - 2,100
Combustion Technology	: Non-catalytic
Maximum burn time	: 8 h
Blower included	: No
Overall firebox volume-ft³	: 2.4
• Overall lifebox volume-it	. 2.4

WOOD STOVES (EPA 2020) - LARGE

MATRIX WOOD STOVE WITH BLOWER



Manufacturer code MSRP OB02032 \$3399.00

UPC code 773388173856

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α	
OA10700 • BLACK SIDE PANELS KIT	\$350.00
OA10701 • SOAPSTONE SIDE PANELS KIT	\$900.00
В	
OA10703 • SOAPSTONE PANEL TOP (2 UNITS)	\$400.00
OA10704 • BLACK STEEL PANEL TOP	\$150.00
OPTIONS	MSRP
AC01315 • RIGID FIRESCREEN	\$180.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02090 • 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$45.00
AC02703 • TEMPERED GLASS HEARTH PAD 10 mm - 54" X 46 3/4"	\$849.00

Approved for an alcove installation	: Yes
Chimney diameter	: 6"
Height X Width X Depth - Overall	: 36 7/8" X 27 1/8" X 25"
Average particulate emissions rate	: 2.3 g/h
Maximum log length	: 20"
Approved for a mobile home installation	: Yes
Shipping Weight	: 506 lb (230 kg)
Recommended heating area-ft²	: 500 - 2,100
Combustion Technology	: Non-catalytic
Maximum burn time	: 8 h
Blower included	: Yes
Overall firebox volume-ft³	: 2.4

WOOD STOVES (EPA 2020) - EXTRA LARGE

3300 WOOD STOVE



Manufacturer codeMSRPOB03300\$2799.00

UPC code 773388198354

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES	MSRP
A	
OA10260 • BLACK DOOR OVERLAY	\$100.00
OA10261 • BRUSHED NICKEL DOOR OVERLAY	\$300.00
В	
OA10262 • PEDESTAL WITH ASH DRAWER	\$400.00
OA10263 • BLACK CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$350.00
OA10264 • BRUSHED NICKEL CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$750.00
OA10265 • BRUSHED NICKEL CAST IRON TRADITIONAL LEGS WITH ASH DRAWER	\$650.00
OA10266 • BLACK CAST IRON STRAIGHT LEGS WITH ASH DRAWER	\$500.00
OPTIONS	MSRP
AC01000 • 130 CFM BLOWER WITH VARIABLE SPEED CONTROL (THERMODISC INCLUDED	9) \$360.00
AC01204 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON LEGS	\$200.00
AC01336 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01397 • RIGID FIRESCREEN	\$180.00
	φ100.00
AC02090 • 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$45.00
	· ·

FEATURES

OA10132 • GLASS ASH LIP

Approved for an alcove installation	: Yes
Chimney diameter	: 6"
Height X Width X Depth - Overall	: 34" X 24 1/4" X 30 1/2"
Average particulate emissions rate	: 0.95 g/h
Maximum log length	: 20"
Approved for a mobile home installation	: Yes, with fresh air intake
Shipping Weight	: 525 lb (238 kg)
Recommended heating area-ft²	: 900 - 2,300
Combustion Technology	: Non-catalytic
Maximum burn time	: 10 h
Blower included	: No
Overall firebox volume-ft³	: 3.3

\$150.00

WOOD STOVES (EPA 2020) - EXTRA LARGE

3500 WOOD STOVE WITH BLOWER



Manufacturer codeMSRPOB03500\$3399.00

UPC code 773388186443

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

OA10163 • BLACK DOOR OVERLAY	\$100.00
OA10164 • BRUSHED NICKEL DOOR OVERLAY	\$300.00
OPTIONS	MSRP
AC01281 • RIGID FIRESCREEN	\$180.00
AC01336 • 5"Ø FRESH AIR INTAKE KIT FOR WOOD STOVE ON PEDESTAL	\$110.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02090 • 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$45.00
OA10166 • GLASS ASH LIP	\$200.00

Approved for an alcove installation	: Yes
Chimney diameter	: 6"
Height X Width X Depth - Overall	: 34 3/4" X 28 7/8" X 33 1/2"
Average particulate emissions rate	: 1.6 g/h
Maximum log length	: 22"
Approved for a mobile home installation	: Yes
Shipping Weight	: 549 lb (249 kg)
Recommended heating area-ft²	: 1,000 - 2,700
Combustion Technology	: Non-catalytic
Maximum burn time	: 10 h
Blower included	: Yes
Overall firebox volume-ft³	: 3.5

WOOD INSERTS (EPA 2020) - SMALL

MSRP

MATRIX 1900 WOOD INSERT



Manufacturer codeMSRPOB01900\$2799.00

UPC code 773388223582

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit **REQUIRED ACCESSORIES**

Α	
OA10041 • BLACK DOOR OVERLAY	\$100.00
OA10042 • BRUSHED NICKEL DOOR OVERLAY	\$250.00
ODTIONS	MCDD

OFTIONS	WISKF
AC01213 • RIGID FIRESCREEN	\$180.00
AC01214 • OFFSET LINER ADAPTER	\$270.00
AC01298 • 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02006 • LINER HOOK UP SYSTEM	\$110.00
AC02082 • 32" X 44" CUTTABLE FACEPLATE (18 GA)	\$200.00
AC02090 • 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$45.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 23 7/8" X 36" X 21"
Average particulate emissions rate	: 1.5 g/h
Maximum log length	: 17"
Fireplace opening - minimum (Height X Width X Depth)	: 19" X 25" X 15 1/2"
Shipping Weight	: 332 lb (151 kg)
Moulded refractory bricks	
Recommended heating area-ft²	: 250 - 1,200
Combustion Technology	: Non-catalytic
Maximum burn time	: 7 h
Blower included	: Yes
Overall firebox volume-ft³	: 1.1

WOOD INSERTS (EPA 2020) - MEDIUM

1700 WOOD INSERT



Manufacturer codeMSRPOB01705\$2429.00

UPC code 773388186412

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES	MSRP
A	
OA10249 • BLACK DOOR OVERLAY	\$100.00
OA10250 • BRUSHED NICKEL DOOR OVERLAY	\$250.00
В	
OA10116 • REGULAR FACEPLATE (29" X 44")	\$150.00
OA10117 • LARGE FACEPLATE (32" X 50")	\$200.00
C	
OA10122 • BLACK FACEPLATE TRIMS (29" X 44")	\$120.00
OA10123 • BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$120.00
OA10128 • BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129 • BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OPTIONS	MSRP
AC01214 • OFFSET LINER ADAPTER	\$270.00
AC01298 • 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01299 • RIGID FIRESCREEN	\$180.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC02090 • 5"Ø X 4' INSULATED FLEX PIPE FOR FRESH AIR INTAKE	\$45.00
	Ψ-10.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 21 1/4" X 27 1/8" X 22 3/8"
Average particulate emissions rate	: 2.4 g/h
Maximum log length	: 18"
Fireplace opening - minimum (Height X Width X Depth)	: 21 1/2" X 27 1/2" X 12 7/8"
Shipping Weight	: 361 lb (164 kg)
Recommended heating area-ft²	: 500 - 1,800
Combustion Technology	: Non-catalytic
Maximum burn time	: 7 h
Blower included	: Yes
Overall firebox volume-ft³	: 1.86

2000 WOOD INSERT



Manufacturer codeMSRPOB02016\$2729.00

UPC code 773388164175

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

If your installation requires the use of the optional AC01357 cuttable faceplate, only accessory A is required.



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIR	KED A	CESS	ORIES

M	s	R	P
---	---	---	---

Α	
OA10237 • BLACK DOOR OVERLAY	\$100.00
OA10238 • BRUSHED NICKEL DOOR OVERLAY	\$300.00
В	
AC03410 • REGULAR FACEPLATE (29" X 44")	\$150.00
AC03411 • LARGE FACEPLATE (32" X 50")	\$200.00
C	
OA10122 • BLACK FACEPLATE TRIMS (29" X 44")	\$120.00
OA10123 • BRUSHED NICKEL FACEPLATE TRIMS (29" X 44")	\$120.00
OA10128 • BLACK LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
OA10129 • BRUSHED NICKEL LARGE FACEPLATE TRIMS (32" X 50")	\$120.00
ORTIONS	Menn
OPTIONS	MSRP
AC01214 • OFFSET LINER ADAPTER	\$270.00
AC01298 • 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC01315 • RIGID FIRESCREEN	\$180.00
AC01317 • 7 3/16" X 26" HEAT SHIELD FOR SURROUND/SHELF	\$110.00
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01357 • 32" X 50" CUTTABLE FACEPLATE (18 GA)	\$200.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 23 1/8" X 28 3/8" X 26 3/8"
Average particulate emissions rate	: 2.3 g/h
Maximum log length	: 20"
Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 15 3/4"
Shipping Weight	: 432 lb (196 kg)
Recommended heating area-ft²	: 500 - 2,100
Combustion Technology	: Non-catalytic
Maximum burn time	: 8 h
Blower included	: Yes
Overall firebox volume-ft³	: 2.4

INSPIRE 2000-I WOOD INSERT



Manufacturer code MSRP OB02045 \$3149.00

UPC code 773388169507

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α		
AC01020 • 30" X 2	5 1/8" NARROW FACEPLATE (U SHAPE)	\$250.00
AC01021 • 32" X 5	O" CUTTABLE FACEPLATE (16 GA)	\$250.00
AC01022 • 30" X 20	5 7/8" NARROW FACEPLATE (4 SIDED)	\$300.00
OPTIONS		MSRP
AC01214 • OFFSET	LINER ADAPTER	\$270.00
AC01237 · MOULD	ED REFRACTORY PANELS FOR MINIMALIST BASE AND INSERT	\$800.00
AC01298 • 5"Ø FRE	SH AIR INTAKE KIT	\$90.00
AC01349 • 5"Ø FRE	SH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
THE O'D' I'VE	OH AIK INTAKE KEGIOTEK WITH AIKTIOTH DAIM EK	Ψ 2 00.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 24 3/8" X 28 1/2" X 20 7/8"
Average particulate emissions rate	: 2.3 g/h
Maximum log length	: 20"
Fireplace opening - minimum (Height X Width X Depth)	: 24 5/8" X 29" X 20 3/4"
Shipping Weight	: 435 lb (197 kg)
Recommended heating area-ft²	: 500 - 2,100
Combustion Technology	: Non-catalytic
Maximum burn time	: 8 h
Blower included	: Yes
Overall firebox volume-ft³	: 2.4

MATRIX 2700 WOOD INSERT



Manufacturer code MSRP OB02700 \$4099.00

UPC code 773388186436

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

MSRP

$oldsymbol{\wedge}$	
OA10253 • BLACK DOOR OVERLAY	\$100.00
OA10254 • BRUSHED NICKEL DOOR OVERLAY	\$350.00
OPTIONS	MSRP
AC01214 • OFFSET LINER ADAPTER	\$270.00
AC01263 • 2" OR 4" PROJECTION KIT FOR INSERT	\$150.00
AC01275 • FIRESCREEN DOOR	\$300.00
AC01277 • 34" X 50" CUTTABLE FACEPLATE (18 GA)	\$250.00
AC01298 • 5"Ø FRESH AIR INTAKE KIT	\$90.00
AC02006 • LINER HOOK UP SYSTEM	\$110.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 30 1/8" X 43 5/8" X 27 1/4"
Average particulate emissions rate	: 1.2 g/h
Maximum log length	: 20"
Fireplace opening - minimum (Height X Width X Depth)	: 27 1/8" X 31 3/4" X 22 1/8"
Shipping Weight	: 535 lb (243kg)
Moulded refractory bricks	
Recommended heating area-ft²	: 750 - 2,200
Combustion Technology	: Non-catalytic
Maximum burn time	: 8 h
Blower included	: Yes
Overall firebox volume-ft³	: 2.5

MATRIX WOOD INSERT



Manufacturer code MSRP OB02028 \$3499.00

UPC code 773388164199

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



OPTIONS MSRP AC01214 • OFFSET LINER ADAPTER \$270.00 AC01298 • 5"Ø FRESH AIR INTAKE KIT \$90.00 AC01315 • RIGID FIRESCREEN \$180.00 AC01321 • BOTTOM FACEPLATE BACKING PLATE 44" X 6" \$80.00 AC01322 • 29" X 44" FACEPLATE BACKING PLATE KIT \$200.00 AC01323 • 2" OR 4" PROJECTION KIT FOR INSERT \$120.00 AC01332 • 29" X 50" FACEPLATE BACKING PLATE KIT \$250.00 AC01333 • BOTTOM FACEPLATE BACKING PLATE 50" X 6" \$90.00 AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER \$250.00

Chimney diameter	: 6"
Height X Width X Depth - Overall	: 25 1/8" X 36 1/8" X 23 1/8"
Average particulate emissions rate	: 2.3 g/h
Maximum log length	: 20"
Fireplace opening - minimum (Height X Width X Depth)	: 23 3/8" X 28 7/8" X 19 5/8"
Shipping Weight	: 491 lb (223 kg)
Recommended heating area-ft²	: 500 - 2,100
Combustion Technology	: Non-catalytic
Maximum burn time	: 8 h
Blower included	: Yes
Overall firebox volume-ft³	: 2.4

WOOD INSERTS (EPA 2020) - EXTRA LARGE 3500 WOOD INSERT



• Overall firebox volume-ft3

Manufacturer codeMSRPOB03510\$3379.00

UPC code 773388210124

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

: 3.5



Requires the addition of accessories (A), (B) and (C) to complete the unit

REQUIRED ACCESSORIES		MSRP
A		
OA10163 • BLACK DOOR OVERLAY		\$100.00
OA10164 • BRUSHED NICKEL DOOR OVERLAY		\$300.00
В		
OA10032 • MEDIUM FACEPLATE (32" X 44")		\$200.00
OA10033 • LARGE FACEPLATE (32" X 50")		\$200.00
C		
OA10125 • BLACK FACEPLATE TRIMS (32" X 44")		\$120.00
OA10126 • BRUSHED NICKEL FACEPLATE TRIMS (32" X	(44")	\$120.00
OA10128 • BLACK LARGE FACEPLATE TRIMS (32" X 50"	")	\$120.00
OA10129 • BRUSHED NICKEL LARGE FACEPLATE TRIM	IS (32" X 50")	\$120.00
OPTIONS		MSRP
AC01214 • OFFSET LINER ADAPTER		\$270.00
AC01281 • RIGID FIRESCREEN		\$180.00
AC01298 • 5"Ø FRESH AIR INTAKE KIT		\$90.00
		400.00
FEATURES		
Chimney diameter	: 6"	
Height X Width X Depth - Overall	: 24 7/8" X 30 3/8" X 29"	
Average particulate emissions rate	: 1.6 g/h	
Maximum log length	: 22"	
Fireplace opening - minimum (Height X Width X Depth)	: 26 1/4" X 31" X 18 3/8"	
Shipping Weight	: 540 lb (245 kg)	
Recommended heating area-ft²	: 1,000 - 2,700	
Combustion Technology	: Non-catalytic	
Maximum burn time	: 10 h	
Blower included	: Yes	

WOOD FIREPLACES (EPA 2020) - LARGE

EVEREST II WOOD FIREPLACE



• Overall firebox volume-ft3

Manufacturer codeMSRPOB04016\$4499.00

UPC code 773388204925

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

: 3.0



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES		MSRP
A		
OA10620 • BLACK DOOR OVERLAY		\$150.00
OA10622 • BRUSHED NICKEL DOOR OVERLAY		\$400.00
В		
OA10619 • TRADITIONAL FACEPLATE		\$650.00
OA10621 • MODERN FACEPLATE		\$700.00
OPTIONS		MSRP
AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT		\$120.00
AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIG	GHT DAMPER	\$250.00
AC01375 • TRADITIONAL GRAVITY KIT		\$400.00
AC01379 • FIRESCREEN DOOR		\$250.00
AC02091 • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH A	IR INTAKE KIT	\$75.00
AC02776 • NIGHTFLAME EFFECT GLASS FOR EVEREST II FIREPLACE (2 UNITS)		\$449.00
VA4460 • FORCED AIR KIT		\$760.00
FEATURES		
Chimney diameter	: 6"	
Height X Width X Depth - Overall	: 49 1/8" X 41 3/4" X 28 5/8"	
Average particulate emissions rate	: 0.99 g/h	
Maximum log length	: 18"	
Shipping Weight	: 525 lb (238 kg)	
Moulded refractory bricks		
Recommended heating area-ft²	: 750 - 2,500	
Combustion Technology	: Non-catalytic	
Maximum burn time	: 9 h	
Blower included	: Yes	

WOOD FIREPLACES (EPA 2020) - LARGE

STRATFORD II WOOD FIREPLACE



Manufacturer codeMSRPOB04007\$3999.00

UPC code 773388188362

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES

MSRP

Α		
OA10610	BLACK DOOR OVERLAY	\$150.00
OA10612	BRUSHED NICKEL DOOR OVERLAY	\$400.00
В		
OA10255	TRADITIONAL FACEPLATE	\$650.00
OA10256	MODERN FACEPLATE	\$700.00
OPTIO	ONS	MSRP
AC01223	HEAT SHIELD FOR SURROUND/SHELF	\$120.00
AC01239	• 4"Ø X 5' FRESH AIR INTAKE KIT	\$120.00
AC01275	FIRESCREEN DOOR	\$300.00
AC01347	• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01350	6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01359	• 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR	\$200.00
AC01374	FORCED AIR KIT	\$960.00
AC01375	TRADITIONAL GRAVITY KIT	\$400.00
AC01389	MODERN GRAVITY KIT WITH ADJUSTABLE PIPES	\$600.00
AC02091	• 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT	\$75.00
AC02760	• GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC09200	FIREPLACE CARRYING HANDLES	\$90.00

: 6"
: 40 5/8" X 36 3/4" X 29 3/4"
: 1.2 g/h
: 20"
: 468 lb (212 kg)
: 750 - 2,200
: Non-catalytic
: 8 h
: Yes
: 2.5

WOOD FIREPLACES (EPA 2020) - EXTRA LARGE HORIZON WOOD FIREPLACE



Manufacturer code **MSRP** OB04010 \$5099.00

UPC code 773388128894

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

REQUIRED ACCESSORIES	MSRP
A	
OA10631 • PRAIRIE STYLE FACEPLATE	\$750.00
В	
AC02360 • CLASSIC MOULDED BRICK PANELS	\$650.00
OPTIONS	MSRP
OPTIONS	WISRP
AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER	\$250.00
AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT	\$200.00
AC01378 • WARM AIR CIRCULATION GRILLE - MODERN	\$350.00
AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50"	\$399.00
AC02770 • NIGHTFLAME EFFECT GLASS FOR HORIZON FIREPLACE (2 UNITS)	\$679.00
AC02780 • 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1799.00
AC02781 • 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL	\$1999.00
AC02782 • 60" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$2250.00
AC02783 • 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL	\$2450.00
VA4460 • FORCED AIR KIT	\$760.00
FEATURES	

Chimney diameter	: 8"
Height X Width X Depth - Overall	: 43 3/8" X 50 3/4" X 31 3/4"
Average particulate emissions rate	: 1.6 g/h
Maximum log length	: 25"
Shipping Weight	: 560 lb (254 kg)
Recommended heating area-ft²	: 1,000 - 2,800
Combustion Technology	: Non-catalytic
Maximum burn time	: 11 h
Overall firebox volume-ft³	: 4.28
Blower included	: Yes
Moulded refractory bricks	
Cast iron andirons	: No

PELLET STOVES (EPA 2020) - MEDIUM

2500 PELLET STOVE



Manufacturer code MSRP OP00025 \$3999.00

UPC code 773388159355

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



OPTIONS MSRP AC01240 • 3"Ø X 5' FRESH AIR INTAKE KIT \$80.00 AC01393 • HOPPER EXTENSION \$260.00 AC01460 • STORAGE TANK WITH PNEUMATIC SELF-FEEDING PELLET SYSTEM \$2999.00 AC01462 • STORAGE TANK EXTENSION FOR AC01460 \$350.00 AC01463 • STAND ALONE AUXILIARY DISCHARGE TANK \$650.00 AC01464 • LEG ASSEMBLY FOR AC01463 DISCHARGE TANK \$150.00 AC01465 • 2"Ø X 25' ANTI-STATIC FLEX HOSE \$450.00 AC02092 • 3"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE \$70.00 AC02704 • TEMPERED GLASS HEARTH PAD 10 mm - 44" X 36" \$599.00 AC05558 • DIGITAL WALL THERMOSTAT \$125.00

Hopper capacity	: 60 lb (27kg)
Height X Width X Depth - Overall	: 33" X 25 7/8" X 30"
Average particulate emissions rate	: 0.96 g/h
Approved for a mobile home installation	: Yes
Shipping Weight	: 286 lb (130 kg)
Maximum heat input rate	: 39,260 BTU/h (11.5 kW)
Recommended heating area-ft²	: 500 - 2,000
Maximum burn time	: 51 h
Combustion Technology	: Top-feed
Approved for an alcove installation	: Yes
Blower included	: Yes

SKU#

UPC Code per unit

Available individually

List price per unit Masterpack quantity of

List price per master pack

Fireplace tool sets

AC02350

773388127552

YES

\$155.00

N/A

\$155.00

EQUISS FREESTANDING LOG HOLDER



This compact and robust log holder is entirely manufactured in Canada and made of high quality steel. Its integrated handles make handling easier. The assembly is done in seconds; simply intersect the two panels and voila! A cuttable rubber band is also available to provide protection for the floor surface and to give it a finishing touch. Once the heating season is over, this free standing log holder is easy to take apart and will not clutter your living space.

AC02351

773388169408

YES

\$699.00

N/A

\$699.00

4002331 113300109400

48" WOOD STORAGE WITH FINISHING TRIM



Built-in or freestanding, configurable vertically or horizontally, you will appreciate the versatility of this wood storage unit. It will most certainly find its place in your decor, whether next to your wood stove, close to your heater or the entrance where it can be used as a bench when positioned horizontally. For a pure and minimalist décor, the box can be integrated inside one of your walls. A finishing trim is provided for this flawless look. Very sturdy, this heavy-steel (14 ga) wood storage is powder-coated and can accommodate logs up to 18" in length. The steel frame contains four concealed wooden blocks to prevent premature wear of your floors. An accessories storage drawer (17" x 15" x 6") is available as an option. Conveniently put away the poker and shovel included with this drawer! Delivered in a compact package, this wood storage unit is very easily assembled. You will be impressed! Made in Canada.

AC02353

773388169422

YES

\$400.00

NI/A

\$400.00

DRAWER AND TOOL KIT FOR WOOD STORAGE INSERT



This accessory storage drawer (17" x 15" x 6") is a great addition to your wood storage. Store the poker and shovel, included with the drawer, for convenience! Look no further and collect all your things in one place.

AC02620

773388123684

YES

\$299.00

N/A

\$299.00

DUPLEX FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper – all the tools needed to operate and maintain your wood-burning stove or fireplace. The clean lines and combination of steel and wood construction make a strong contemporary design statement. Height of accessories: 26 3/16" (66 cm). Proudly made in Quebec.

AC02621

773388123691

YES

\$219.00

N/A

\$219.00

INEO FIREPLACE TOOL SET



This distinctive hearth tool set contains four quality implements: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The clean lines and simplicity make a strong contemporary design statement. Kit height: 28 5/8" (73 cm). Proudly made in Canada.

AC02622

773388123707

YES

\$249.00

N/A

\$249.00



PAPYRUS FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The dramatic use of steel makes a strong contemporary design statement. Kit height: 27 1/2" (69 cm). Ø 7 1/2" (19 cm). Proudly made in Canada.

AC02627

773388123752

YES

N/A

\$265.00

FUSIO LOG HOLDER



This distinctive log holder combines steel and cherrywood; its curved shape makes a strong contemporary design statement. Make your life simpler by fueling your fire without ever being caught unprepared. Dimensions: 20"H x 18 1/2"W x 24"D. Made in Quebec with exceptional craftmanship.

AC02628

773388176093

YES

\$299.00

\$265.00

N/A

\$299.00



NORDIK FIREPLACE TOOL SET

This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. Its wooden base and steel structure gives it an industrial look, perfect for contemporary or rustic spaces. Height of stand: 20 7/8" (53 cm). Dimensions of base: 9 1/2" (24 cm) X 4 3/4" (12 cm). Made in France with exceptional craftmanship.

AC02629

773388176109

YES

\$249.00

N/A

\$249.00

PETAL FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. A nice option for those who want to camouflage tools for a more decorative look. Height of stand: 20" (51 cm). Base diameter: 7 1/2" (19 cm). Made in France with exceptional craftmanship.

AC02631

773388176123

N/A

YES

\$199.00

\$199.00

SPEKTRA FIREPLACE TOOL SET



This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. You will appreciate its futuristic look for a unique atmosphere. Height of stand: 20" (51 cm). Base diameter: 7 1/2" (19 cm). Made in France with exceptional craftmanship.