USA | 2024 PRICE LIST



Stove Builder International inc. (SBI) 250, de Copenhague

St-Augustin-de-Desmaures (Quebec) Canada G3A 2H3

Customer service

Phone: 844-344-3071 Fax: 1-888-355-5067 E-mail: sac@sbi-international.com www.valcourtinc.com

> Valid from March 1st 2024 Printed on September 10th 2024

Table of contents

| WOOD FIREPLACES (EXEMPT) | 4 |
|--|----|
| ST-LAURENT - LINEAR WOOD FIREPLACE - FP16 | 4 |
| ST-LAURENT - LINEAR WOOD FIREPLACE - FP16D | 5 |
| WOOD FIREPLACES (LOW MASS) | 6 |
| ANTOINETTE - WOOD FIREPLACE - FP7CB | 6 |
| ANTOINETTE - WOOD FIREPLACE - FP7D | 7 |
| FRONTENAC - GUILLOTINE DOOR WOOD FIREPLACE - FP11 | 8 |
| FRONTENAC - WOOD FIREPLACE - FP11D | 9 |
| MANOIR - WOOD FIREPLACE - FP1LM | 10 |
| WOOD FIREPLACES (EPA 2020) | 11 |
| LAFAYETTE II - WOOD FIREPLACE - FP10R | 11 |
| LAFAYETTE IIS - WOOD FIREPLACE - FP10RS | 13 |
| MUNDO II - WOOD FIREPLACE - FP12R | 15 |
| WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE - FP15A | 16 |
| WATERLOO - WOOD FIREPLACE - FP15 | 17 |
| FIREPLACE TOOL SETS | 18 |

WOOD FIREPLACES (EXEMPT)

ST-LAURENT - LINEAR WOOD FIREPLACE



Manufacturer code

FP16

MSRP \$7349.00

UPC code 773388128870



Requires the addition of accessories (A) and (B) to complete the unit

| | MSRP |
|-----------------------------|---|
| | |
| RIAL-TILE) | \$450.00 |
| one) | \$150.00 |
| | |
| | \$1000.00 |
| | MSRP |
| AMPER | \$250.00 |
| | \$549.00 |
| | \$1799.00 |
| | \$1999.00 |
| | \$2250.00 |
| | \$2450.00 |
| | |
| 8" | |
| 63 3/4" X 62 5/8" X 31 3/4" | |
| 30" | |
| 765 lb (347 kg) | |
| 6.4 | |
| <1,000 | |
| | AMPER 8" 63 3/4" X 62 5/8" X 31 3/4" 30" 765 lb (347 kg) 6.4 |

Moulded refractory bricks

Cast iron andirons

WOOD FIREPLACES (EXEMPT)

ST-LAURENT - LINEAR WOOD FIREPLACE



| Manufacturer code New FP16D | MSRP \$7349.00 |
|------------------------------------|-------------------|
| UPC code 773388254364 | |
| This appliance is EPA exempt | |

| REQUIRED ACCESSORIES | | MSRP |
|---|-------------------------------|-----------|
| Α | | |
| VA16DTR • STRAIGHT MASONRY TRIM (Flush finish for bric | k/stone) | \$150.00 |
| VA16FE06 • STRAIGHT NARROW OVERLAP (THIN FACING M | ATERIAL-TILE) | \$450.00 |
| В | | |
| VA16071M • CONTEMPORARY MOULDED BRICK PANELS | | \$1000.00 |
| OPTIONS | | MSRP |
| AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGH | T DAMPER | \$250.00 |
| AC02761 • GLASS HEARTH PAD 10 mm - 20" X 70" | | \$549.00 |
| AC02780 • 60" WASHED CEDAR NON-COMBUSTIBLE MANTE | L | \$1799.00 |
| AC02781 • 72" WASHED CEDAR NON-COMBUSTIBLE MANTE | L | \$1999.00 |
| AC02782 • 60" TAVERN BROWN NON-COMBUSTIBLE MANTEL | | \$2250.00 |
| AC02783 • 72" TAVERN BROWN NON-COMBUSTIBLE MANTE | L | \$2450.00 |
| FEATURES | | |
| Cast iron andirons | | |
| Chimney diameter | : 8" | |
| Height X Width X Depth - Overall | : 63 3/4" X 63 1/8" X 31 3/4" | |
| Maximum log length | : 30" | |
| Shipping Weight | : 765 lb (347 lb) | |
| Moulded refractory bricks | | |
| Recommended heating area-ft² | : <1,000 | |
| Combustion Technology | : Non-catalytic | |
| Overall firebox volume-ft³ | : 6.4 | |

WOOD FIREPLACES (LOW MASS)

ANTOINETTE - WOOD FIREPLACE



Manufacturer code FP7CB MSRP \$5599.00

UPC code 773388165073



| REQUIRED ACCESSORIES | MSRP |
|---|-----------------------------------|
| Α | |
| VA7FE06 • STRAIGHT NARROW OVERLAP (TH | IN FACING MATERIAL-TILE) \$400.00 |
| VA7TR • MASONRY TRIM | \$250.00 |
| В | |
| VA7071BR • CLASSIC MOULDED REFRACTORY | BRICK PANELS \$850.00 |
| VA7071M • CONTEMPORARY MOULDED REFR | ACTORY BRICK PANELS \$950.00 |
| OPTIONS | MSRP |
| AC01347 • 4"Ø FRESH AIR INTAKE REGISTER | WITH AIRTIGHT DAMPER \$250.00 |
| AC02760 · GLASS HEARTH PAD 10 mm - 18" X | 50" \$399.00 |
| FEATURES | |
| Cast iron andirons | |
| Chimney diameter | : 8" |
| Height X Width X Depth - Overall | : 64 1/8" X 48 7/8" X 30 3/4" |
| Average particulate emissions rate | : 4.2 g/kg |
| Maximum log length | : 18" |
| Shipping Weight | : 523 lb (238 kg) |
| Moulded refractory bricks | |
| Recommended heating area-ft² | : <1,000 |
| Overall firebox volume-ft³ | : 5.3 |

WOOD FIREPLACES (LOW MASS)

ANTOINETTE - WOOD FIREPLACE



| REQUIRED ACCESSORIES | | MSRP |
|---|-----------------------|----------|
| Α | | |
| VA7DTR • STRAIGHT MASONRY TRIM (FLUSH FIN | ISH FOR BRICK/STONE) | \$250.00 |
| VA7FE06 • STRAIGHT NARROW OVERLAP (THIN F | ACING MATERIAL-TILE) | \$400.00 |
| B | | |
| VA7071BR • CLASSIC MOULDED REFRACTORY BRI | CK PANELS | \$850.00 |
| VA7071M • CONTEMPORARY MOULDED REFRACT | ORY BRICK PANELS | \$950.00 |
| OPTIONS | | MSRP |
| AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH | AIRTIGHT DAMPER | \$250.00 |
| AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50" | | \$399.00 |
| FEATURES | | |
| Cast iron andirons | | |
| Chimney diameter | : 8" | |
| Height X Width X Depth - Overall | : 64 1/8" X 52" X 27" | |
| Average particulate emissions rate | : 4.2 g/kg | |
| Maximum log length | : 18" | |
| Shipping Weight | : 523 lb (238 kg) | |
| Moulded refractory bricks | | |
| Recommended heating area-ft² | : <1,000 | |
| Combustion Technology | : Non-catalytic | |
| Overall firebox volume-ft³ | : 5.3 | |

WOOD FIREPLACES (LOW MASS)

FRONTENAC - GUILLOTINE DOOR WOOD FIREPLACE



Manufacturer code

FP11

MSRP \$7799.00

UPC code 773388049984



Requires the addition of accessories (A) and (B) to complete the unit

| REQUIRED ACCESSORIES | MSRP |
|---|--------------------------------|
| Α | |
| VA11FA06 • ARCHED NARROW OVERLAP (THIN FA | CING MATERIAL - TILE) \$500.00 |
| VA11FE06 • STRAIGHT NARROW OVERLAP (THIN F | ACING MATERIAL-TILE) \$550.00 |
| VA11TA • ARCHED MASONRY TRIM (Flush finish | with brick/stone) \$250.00 |
| VA11TR • STRAIGHT MASONRY TRIM (Flush finis | h for brick/stone) \$250.00 |
| В | |
| VA11071BR • CLASSIC MOULDED BRICK PANELS | \$1150.00 |
| VA11071H • HERRINGBONE MOULDED VERMICULIT | TE PANELS \$1500.00 |
| VA11071M • CONTEMPORARY MOULDED BRICK PA | NELS \$1200.00 |
| OPTIONS | MSRP |
| AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH | AIRTIGHT DAMPER \$250.00 |
| AC02761 • GLASS HEARTH PAD 10 mm - 20" X 70" | \$549.00 |
| FEATURES | |
| Chimney diameter | : 8" |
| Height X Width X Depth - Overall | : 74 3/4" X 59 1/2" X 34 1/2" |
| Maximum log length | : 30" |
| Shipping Weight | : 920 lb (417 kg) |
| Overall firebox volume-ft³ | : 9.4 |
| Recommended heating area-ft² | : <1,000 |
| Average particulate emissions rate | : 4.2 g/kg |

Moulded refractory bricks

Cast iron andirons

MSRP

\$7799.00

FRONTENAC - WOOD FIREPLACE



| REQUIRED ACCESSORIES | MSRP |
|---|--------------------------------|
| Α | |
| VA11DTA • ARCHED MASONRY TRIM (FLUSH FINIS | H WITH BRICK/STONE) \$250.00 |
| VA11DTR • STRAIGHT MASONRY TRIM (Flush finish | h for brick/stone) \$250.00 |
| VA11FA06 • ARCHED NARROW OVERLAP (THIN FAC | CING MATERIAL - TILE) \$500.00 |
| VA11FE06 • STRAIGHT NARROW OVERLAP (THIN FA | ACING MATERIAL-TILE) \$550.00 |
| В | |
| VA11071BR • CLASSIC MOULDED BRICK PANELS | \$1150.00 |
| VA11071H • HERRINGBONE MOULDED VERMICULIT | E PANELS \$1500.00 |
| VA11071M • CONTEMPORARY MOULDED BRICK PA | NELS \$1200.00 |
| OPTIONS | MSRP |
| AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH | AIRTIGHT DAMPER \$250.00 |
| AC02761 • GLASS HEARTH PAD 10 mm - 20" X 70" | \$549.00 |
| FEATURES | |
| Cast iron andirons | |
| Chimney diameter | : 8" |
| Height X Width X Depth - Overall | : 74 3/4" X 60" X 36 1/4" |
| Average particulate emissions rate | : 4.2 g/kg |
| Maximum log length | : 30" |
| Shipping Weight | : 920 lb (417 kg) |
| Moulded refractory bricks | |
| Recommended heating area-ft² | : <1,000 |
| Combustion Technology | : Non-catalytic |
| Overall firebox volume-ft ³ | : 9.4 |
| | |

MANOIR - WOOD FIREPLACE



Manufacturer code

FP1LM

MSRP \$4049.00

UPC code 773388088716



Requires the addition of accessories (A) to complete the unit

| REQUIRED ACCESSORIES | MSRP |
|---|-------------------------------|
| Α | |
| VA1FE05 • BLACK MODERN FACEPLATE | \$750.00 |
| VA1FE06 • BLACK TRADITIONAL FACEPLATE | \$850.00 |
| OPTIONS | MSRP |
| AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH | AIRTIGHT DAMPER \$250.00 |
| AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FO | RCED AIR KIT \$200.00 |
| AC01374 · FORCED AIR KIT | \$960.00 |
| AC01375 • TRADITIONAL GRAVITY KIT | \$400.00 |
| AC01376 • MODERN GRAVITY KIT | \$350.00 |
| AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50" | \$399.00 |
| FEATURES | |
| Chimney diameter | : 8" |
| Height X Width X Depth - Overall | : 43 5/8" X 41 1/8" X 27 3/8" |
| Maximum log length | : 20" |
| Shipping Weight | : 520 lb (236 kg) |
| Overall firebox volume-ft³ | : 4.25 |
| Recommended heating area-ft² | : <1,500 |

: 2.9 g/kg

: Yes

- Recommended heating area-ft²
- Average particulate emissions rate
- Blower included
- · Moulded refractory bricks
- Cast iron andirons

LAFAYETTE II - WOOD FIREPLACE



Manufacturer code FP10R MSRP \$3899.00

UPC code 773388188386 INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

| REQUIRED ACCESSORIES | MSRP |
|--|--|
| Α | |
| VA10RE07 • BLACK DOOR OVERLAY | \$150.00 |
| VA10RE40 • BRUSHED NICKEL DOOR OVERLAY | \$350.00 |
| В | |
| VA10FA07 • BLACK ARCHED FACEPLATE | \$500.00 |
| C | |
| VA10L06 • CLASSIC STYLE FACEPLATE LOUVER | \$250.00 |
| VA10L07 • ARABESQUE STYLE FACEPLATE LOUVER | \$250.00 |
| VA10L08 • URBAN STYLE FACEPLATE LOUVER | \$250.00 |
| VA10L09 • MISSION STYLE FACEPLATE LOUVER | \$400.00 |
| VA10L10 • CROWN STYLE FACEPLATE LOUVER | \$450.00 |
| | |
| OPTIONS | MSRP |
| OPTIONS AC01223 • HEAT SHIELD FOR SURROUND/SHELF | MSRP \$120.00 |
| | |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF | \$120.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT | \$120.00 \$120.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR | \$120.00 \$120.00 \$300.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER | \$120.00 \$120.00 \$300.00 \$250.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 \$200.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 \$200.00 \$960.00 |
| AC01223• HEAT SHIELD FOR SURROUND/SHELFAC01239• 4"Ø X 5' FRESH AIR INTAKE KITAC01275• FIRESCREEN DOORAC01347• 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPERAC01350• 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KITAC01359• 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIRAC01374• FORCED AIR KITAC01375• TRADITIONAL GRAVITY KIT | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 \$200.00 \$960.00 \$400.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT AC01375 • TRADITIONAL GRAVITY KIT AC01389 • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 \$200.00 \$960.00 \$400.00 \$600.00 |

| Chimney diameter | : 6" |
|---|-------------------------------|
| Height X Width X Depth - Overall | : 40 5/8" X 36 3/4" X 28 3/8" |
| Average particulate emissions rate | : 1.2 g/h |
| Maximum log length | : 20" |
| Shipping Weight | : 493 lb (224 kg) |
| Moulded refractory bricks | |
| Recommended heating area-ft² | : 750 - 2,200 |
| Maximum burn time | : 8 h |

| Blower included | : Yes |
|--|-----------------|
| Overall firebox volume-ft ³ | : 2.5 |
| Combustion Technology | : Non-catalytic |

LAFAYETTE IIS - WOOD FIREPLACE



Manufacturer code FP10RS MSRP \$3899.00

UPC code 773388201276 INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

| REQUIRED ACCESSORIES | MSRP |
|--|--|
| Α | |
| VA10FS07 • BLACK SQUARE FACEPLATE | \$500.00 |
| В | |
| VA10LS06 • CLASSIC STYLE FACEPLATE LOUVER | \$250.00 |
| VA10LS07 • ARABESQUE STYLE FACEPLATE LOUVER | \$250.00 |
| VA10LS08 • URBAN STYLE FACEPLATE LOUVER | \$250.00 |
| VA10LS09 • MISSION STYLE FACEPLATE LOUVERS | \$400.00 |
| VA10LS10 • CROWN STYLE FACEPLATE LOUVERS | \$450.00 |
| C | |
| VA10RES07 • BLACK DOOR OVERLAY | \$150.00 |
| VA10RES40 • BRUSHED NICKEL DOOR OVERLAY | \$350.00 |
| OPTIONO | |
| OPTIONS | MSRP |
| AC01223 · HEAT SHIELD FOR SURROUND/SHELF | MSRP \$120.00 |
| | _ |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF | \$120.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT | \$120.00 \$120.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR | \$120.00 \$120.00 \$300.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER | \$120.00 \$120.00 \$300.00 \$250.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 \$200.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT AC01375 • TRADITIONAL GRAVITY KIT AC01389 • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 \$200.00 \$960.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT AC01375 • TRADITIONAL GRAVITY KIT | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 \$200.00 \$960.00 \$400.00 |
| AC01223 • HEAT SHIELD FOR SURROUND/SHELF AC01239 • 4"Ø X 5' FRESH AIR INTAKE KIT AC01275 • FIRESCREEN DOOR AC01347 • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT AC01359 • 4"Ø X 25' INSULATED FLEX PIPE FOR FRESH AIR AC01374 • FORCED AIR KIT AC01375 • TRADITIONAL GRAVITY KIT AC01389 • MODERN GRAVITY KIT WITH ADJUSTABLE PIPES | \$120.00 \$120.00 \$300.00 \$250.00 \$200.00 \$200.00 \$960.00 \$400.00 \$600.00 |

| Chimney diameter | : 6" |
|---|-------------------------------|
| Height X Width X Depth - Overall | : 40 5/8" X 36 3/4" X 28 5/8" |
| Average particulate emissions rate | : 1.2 g/h |
| Maximum log length | : 20" |
| Shipping Weight | : 495 lb (225 kg) |
| Moulded refractory bricks | |
| Recommended heating area-ft² | : 750 - 2,200 |
| Combustion Technology | : Non-catalytic |

| Maximum burn time | : 8 h |
|---|-------|
| Blower included | : Yes |
| Overall firebox volume-ft³ | : 2.5 |

MUNDO II - WOOD FIREPLACE



Manufacturer code FP12R MSRP \$3999.00

MSRP

UPC code 773388188393

INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL

WARNING: The forced air distribution kit (AC01363), can be installed only with the gravity kit - Modern style (AC01389K), sold separately. The installation of a fresh air intake is mandatory on the FP12R. The fresh air intake adaptor is included with the fireplace. The outside air inlet cap; the 2 adjustable straps and the 4" insulated flexible pipe (AC02091-10'L) must be bought separately.



Requires the addition of accessories (A) to complete the unit

REQUIRED ACCESSORIES

| Α | | |
|----------|--|----------|
| AC01375K | TRADITIONAL GRAVITY KIT | \$400.00 |
| AC01389K | MODERN GRAVITY KIT WITH ADJUSTABLE PIPES | \$600.00 |
| ΟΡΤΙ | ONS | MSRP |
| AC01239 | • 4"Ø X 5' FRESH AIR INTAKE KIT | \$120.00 |
| AC01275 | FIRESCREEN DOOR | \$300.00 |
| AC01347 | • 4"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER | \$250.00 |
| AC01350 | • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT | \$200.00 |
| AC01363 | FORCED AIR KIT | \$750.00 |
| AC02091 | • 4"Ø X 10' INSULATED FLEX PIPE FOR FRESH AIR INTAKE KIT | \$75.00 |
| AC02773 | NIGHTFLAME EFFECT GLASS FOR FP12R-MUNDO II FIREPLACE | \$599.00 |
| AC09200 | FIREPLACE CARRYING HANDLES | \$90.00 |
| VA12FL02 | METALLIC BLACK FINISHING TRIM | \$350.00 |

WOOD FIREPLACES (EPA 2020) WATERLOO - ARCHED FACEPLATE WOOD FIREPLACE



Manufacturer code FP15A MSRP \$4899.00

UPC code 773388171616 INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A), (B) and (C) to complete the unit

| REQUIRED ACCESSORIES | MSRP |
|--|-----------|
| Α | |
| VA15FA07 • BLACK ARCHED FACEPLATE | \$650.00 |
| B | |
| AC02360 • CLASSIC MOULDED BRICK PANELS | \$650.00 |
| С | |
| VA15L06 • CLASSIC STYLE FACEPLATE LOUVER | \$300.00 |
| VA15L07 • ARABESQUE STYLE FACEPLATE LOUVER | \$400.00 |
| VA15L08 • URBAN STYLE FACEPLATE LOUVER | \$400.00 |
| VA15L09 • MISSION STYLE FACEPLATE LOUVER | \$400.00 |
| OPTIONS | MSRP |
| AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER | \$250.00 |
| AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT | \$200.00 |
| AC01378 • WARM AIR CIRCULATION GRILLE - MODERN | \$350.00 |
| AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50" | \$399.00 |
| AC02772 • NIGHTFLAME EFFECT GLASS FOR FP15A-ARCHED WATERLOO FIREPLACE (2 UNITS) | \$679.00 |
| AC02780 • 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL | \$1799.00 |
| AC02781 • 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL | \$1999.00 |
| AC02782 • 60" TAVERN BROWN NON-COMBUSTIBLE MANTEL | \$2250.00 |
| AC02783 • 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL | \$2450.00 |
| VA4460 • FORCED AIR KIT | \$760.00 |

FEATURES

| Cast iron andirons | : No |
|---|-------------------------------|
| Chimney diameter | : 8" |
| Height X Width X Depth - Overall | : 43 3/8" X 50 3/4" X 31 5/8" |
| Average particulate emissions rate | : 1.6 g/h |
| Maximum log length | : 25" |
| Shipping Weight | : 545 lb (247 kg) |
| Moulded refractory bricks | |
| Recommended heating area-ft² | : 1,000 - 2,800 |
| Maximum burn time | : 11 h |
| Blower included | : Yes |
| Overall firebox volume-ft³ | : 4.28 |
| Combustion Technology | : Non-catalytic |

Effective March 1st 2024

WATERLOO - WOOD FIREPLACE



Manufacturer code FP15 MSRP \$4999.00

UPC code 773388131818 INSTALLATION AUTHORIZED ON THE ISLAND OF MONTREAL



Requires the addition of accessories (A) and (B) to complete the unit

| REQUIRED ACCESSORIES | MSRP |
|---|-----------|
| Α | |
| VA15FL07 • BLACK "CROWN" STYLE FACEPLATE | \$850.00 |
| В | |
| AC02360 • CLASSIC MOULDED BRICK PANELS | \$650.00 |
| OPTIONS | MSRP |
| | |
| AC01349 • 5"Ø FRESH AIR INTAKE REGISTER WITH AIRTIGHT DAMPER | \$250.00 |
| AC01350 • 6"Ø X 25' INSULATED FLEX PIPE FOR FORCED AIR KIT | \$200.00 |
| AC01378 • WARM AIR CIRCULATION GRILLE - MODERN | \$350.00 |
| AC02760 • GLASS HEARTH PAD 10 mm - 18" X 50" | \$399.00 |
| AC02771 • NIGHTFLAME EFFECT GLASS FOR FP15-WATERLOO FIREPLACE (2 UNITS) | \$699.00 |
| AC02780 • 60" WASHED CEDAR NON-COMBUSTIBLE MANTEL | \$1799.00 |
| AC02781 • 72" WASHED CEDAR NON-COMBUSTIBLE MANTEL | \$1999.00 |
| AC02782 • 60" TAVERN BROWN NON-COMBUSTIBLE MANTEL | \$2250.00 |
| AC02783 • 72" TAVERN BROWN NON-COMBUSTIBLE MANTEL | \$2450.00 |
| VA4460 • FORCED AIR KIT | \$760.00 |
| EEATUDEQ | |

| Cast iron andirons | : No |
|---|-------------------------------|
| Chimney diameter | : 8" |
| Height X Width X Depth - Overall | : 43 3/8" X 50 3/4" X 31 5/8" |
| Average particulate emissions rate | : 1.6 g/h |
| Maximum log length | : 25" |
| Shipping Weight | : 545 lb (247 kg) |
| Moulded refractory bricks | |
| Recommended heating area-ft² | : 1,000 - 2,800 |
| Combustion Technology | : Non-catalytic |
| Maximum burn time | : 11 h |
| Blower included | : Yes |
| Overall firebox volume-ft ³ | : 4.28 |

| SKU # | UPC Code per unit | Available individually | List price per unit | Masterpack quantity of | List price per master pack |
|---------------------|---|---|---|--|---|
| Fireplace tool sets | | | | | |
| AC02350 | 773388127552 | YES | \$155.00 | N/A | \$155.00 |
| | EQUISS FREESTANDING LOG HOLDER This compact and robust log holder is entirely manufactured in Canada and made of high quality steel. Its integrated handles make handling easier. The assembly is done in seconds; simply intersect the two panels and voila! A cuttable rubber band is also available to provide protection for the floor surface and to give it a finishing touch. Once the heating season is over, this free standing log holder is easy to take apart and will not clutter your living space. | | | | |
| AC02351 | 773388169408 | YES | \$699.00 | N/A | \$699.00 |
| | of this wood storage unit. It will most certainly find its place in your decor, whether next to your wood stove, close to your heater or the entrance where it can be used as a bench when positioned horizontally. For a pure and minimalist décor, the box can be integrated inside one or your walls. A finishing trim is provided for this flawless look. Very sturdy, this heavy-steel (14 gat wood storage is powder-coated and can accommodate logs up to 18" in length. The steel frame contains four concealed wooden blocks to prevent premature wear of your floors. An accessories storage drawer (17" x 15" x 6") is available as an option. Conveniently put away the poker and shovel included with this drawer! Delivered in a compact package, this wood storage unit is very easily assembled. You will be impressed! Made in Canada. | | | | |
| AC02353 | 773388169422 DRAWER | YES AND TOOL KIT FOI | \$400.00 | N/A | \$400.00 |
| AC02353 | DRAWER This access the poker a | YES AND TOOL KIT FOI sory storage drawer | \$400.00 R WOOD STORAG (17" x 15" x 6") is a | N/A | wood storage. Store |
| AC02353 AC02620 | DRAWER This access the poker a | YES AND TOOL KIT FOI sory storage drawer nd shovel, included | \$400.00 R WOOD STORAG (17" x 15" x 6") is a | N/A E INSERT great addition to your | wood storage. Store |
| | DRAWER A This access the poker a your things 773388123684 DUPLEX F This distinc the tools ne and combin | YES AND TOOL KIT FOI sory storage drawer nd shovel, included in one place. YES IREPLACE TOOL S tive hearth tool set o reded to operate and | \$400.00 R WOOD STORAG (17" x 15" x 6") is a with the drawer, for \$299.00 SET contains four instrur d maintain your wood rood construction m | N/A FE INSERT a great addition to your convenience! Look no N/A N/A nents: poker, broom, sl od-burning stove or fire ake a strong contempo | wood storage. Store further and collect all \$299.00 hovel and scraper – all place. The clean lines |
| AC02620 | DRAWER A This access the poker a your things 773388123684 DUPLEX F This distinc the tools ne and combin | YES AND TOOL KIT FOI sory storage drawer nd shovel, included in one place. YES IREPLACE TOOL S tive hearth tool set of reded to operate and ation of steel and w | \$400.00 R WOOD STORAG (17" x 15" x 6") is a with the drawer, for \$299.00 SET contains four instrur d maintain your wood rood construction m | N/A FE INSERT a great addition to your convenience! Look no N/A N/A nents: poker, broom, sl od-burning stove or fire ake a strong contempo | wood storage. Store further and collect all \$299.00 hovel and scraper – all place. The clean lines |

| AC02622 | 773388123707 | YES | \$249.00 | N/A | \$249.00 |
|--|--------------|----------|----------|-----|----------|
| PAPYRUS FIREPLACE TOOL SET This distinctive hearth tool set contains four instruments: poker, broom, shovel and scraper - all you need to operate and maintain your wood-burning appliance. The dramatic use of steel makes a strong contemporary design statement. Kit height: 27 1/2" (69 cm). Ø 7 1/2" (19 cm). Proudly made in Canada. | | | | | |
| AC02627 | 773388123752 | YES | \$265.00 | N/A | \$265.00 |
| | FUSIO LOO | G HOLDER | | | |

This distinctive log holder combines steel and cherrywood; its curved shape makes a strong contemporary design statement. Make your life simpler by fueling your fire without ever being caught unprepared. Dimensions: 20"H x 18 1/2"W x 24"D. Made in Quebec with exceptional craftmanship.

| AC02628 | 773388176093 | YES | \$299.00 | N/A | \$299.00 |
|--|--------------|-----|----------|-----|----------|
| NORDIK FIREPLACE TOOL SET This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. Its wooden base and steel structure gives it an industrial look, perfect for contemporary or rustic spaces. Height of stand: 20 7/8" (53 cm). Dimensions of base: 9 1/2" (24 cm) X 4 3/4" (12 cm). Made in | | | | | |
| Height of stand: 20 7/8" (53 cm). Dimensions of base: 9 1/2" (24 cm) X 4 3/4" (12 cm). Made in France with exceptional craftmanship. AC02629 773388176109 YES \$249.00 N/A \$249.00 | | | | | |
| PETAL FIREPLACE TOOL SET | | | | | |
| This distinctive hearth tool set contains four instruments: poker, broom, shovel and clamp – all the tools needed to operate and maintain your wood-burning stove or fireplace. A nice option for | | | | | |



those who want to camouflage tools for a more decorative look. Height of stand: 20" (51 cm). Base diameter: 7 1/2" (19 cm). Made in France with exceptional craftmanship.

| AC02631 | 773388176123 | YES | \$199.00 | N/A | \$199.00 |
|---------|--|--|--|--|-------------------------------------|
| | This distinc the tools ne appreciate | eeded to operate ar its futuristic look for | contains four instrur nd maintain your woo r a unique atmosphe | ments: poker, broom, s od-burning stove or fire ere. Height of stand: 20 eptional craftmanship. | eplace. You will " (51 cm). Base |